

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.00mm (3.937"):		1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
100.00	3.937	HI PERFORM	N		21-GRN1000NS	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
							2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
100.00mm (3.937"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
100.00	3.937	HI PERFORM	N		21-GNH10000	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
100.00mm (3.937"):		1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
100.00 NEW	3.937	HI PERFORM	S		21-EJ25710000	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
100.00	3.937	SUBARU	S	ZZ	SWF20068-2	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
100.00 NEW	3.937	GMC	N	ZZ	SWC10024-2	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.70	0.106	NIF-H		SR02	CHROME	
100.00mm (3.937"):		1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
100.00 NEW	3.937	HI PERFORM	S		21-EJ25510000	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-H		SR02	CHROME	
100.00	3.937	SUBARU	S	ZZ	SWF20066-2	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
100.00mm (3.937"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
100.00 NEW	3.937	GMC	N	ZZ	SWG10049-4	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.75	0.148	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
100.00mm (3.937"):		1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")														
100.00	3.937	SUBARU	S	ZZ	SWF20064-2	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
100.00mm (3.937"):		1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
100.00	3.937	HI PERFORM	N		XH3937	1	1.20	0.047	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1		CR01	FERROX	
							4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
100.00mm (3.937"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
100.00	3.937	HI PERFORM	N		21-GNHD3937	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
100.00	3.937	GMC	N	ZZ	SWG10018-4 (SWL03149-4)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
100.00	3.937	CHRYSLER	S	ZX	SWC10016-2 (SWL03190-2)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.00mm (3.937"):		1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
100.00	3.937	PORSCHE	N		SWE44016-0 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
100.00	3.937	PORSCHE	N		SWE44056-0 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.05	0.159	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.00mm (3.937"):		2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.122")														
100.00	3.937	NISSAN	N	ZZ	SWN30181-2	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.00mm (3.937"):		1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")														
100.00	3.937	TOYOTA	S	ZZ	SWT10184-0	6	1.75	0.069	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.00mm (3.937"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.00	3.937	TOYOTA	S	ZZ	SWT10168-0	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.06mm (3.939"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.06	3.939	CHRYSLER	S	ZZ	SWC10006-3 (SWL03132-3)	6	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.06	3.939	CHRYSLER	S	ZY	SWC10006AM-3 (SWL03132AM-3)	6	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
100.06	3.939	CHRYSLER	N		SWC40020-3 DELETE	8	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.06	3.939	CHRYSLER	S	ZX	SWC10020-3 (SWL03236-0)	8	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
							2.00	0.079	x	4.50	0.177	T1		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.06mm (3.939"):		2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")														
100.06	3.939	CHRYSLER	N	ZZ	SWC10018-3	6	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
100.06	3.939	CHRYSLER	N	ZZ	SWC10019-3	8	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
100.08mm (3.940"):		1.50mm (0.059") x 1.75mm (0.069") x 2.00mm (0.079")														
100.08	3.940	PORSCHE	N		SWE44106-0 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
100.10mm (3.937"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
100.10	3.941	HI PERFORM	N		21-GNH10010	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.25mm (3.947"):		1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
100.25	3.947	SUBARU	N	ZZ	SWF20068-3	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
100.25 NEW	3.947	GMC	N	ZZ	SWC10024-3	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.70	0.106	NIF-H		SR02	CHROME	
100.25mm (3.947"):		1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
100.25	3.947	SUBARU	N	ZZ	SWF20066-3	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
100.25mm (3.947"):		1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")														
100.25	3.947	SUBARU	N	ZZ	SWF20064-3	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
100.25mm (3.947"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
100.25	3.947	CHRYSLER	N	ZX	SWC10016-3 (SWL03190-3)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
100.25mm (3.947"):		2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.122")														
100.25	3.947	NISSAN	N	ZZ	SWN30181-3	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.25mm (3.947"):		1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
100.25	3.947	PORSCHE	N		SWE44016-4 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
100.25	3.947	PORSCHE	N		SWE44056-4 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.05	0.159	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.25mm (3.947"):		1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")														
100.25	3.947	TOYOTA	N	ZZ	SWT10184-1	6	1.75	0.069	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.25mm (3.947"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.25	3.947	TOYOTA	N	ZZ	SWT10168-1	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.31mm (3.949"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.31	3.949	CHRYSLER	S	ZZ	SWC10006-4 (SWL03132-4)	6	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.31	3.949	CHRYSLER	S	ZY	SWC10006AM-4 (SWL03132AM-4)	6	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
100.31	3.949	CHRYSLER	N		SWC40020-4 DELETE	8	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.31	3.949	CHRYSLER	S	ZX	SWC10020-4 (SWL03236-0)	8	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
							2.00	0.079	x	4.50	0.177	T1		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.31mm (3.949"):		2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")														
100.31	3.949	CHRYSLER	N	ZZ	SWC10018-4	6	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
100.31	3.949	CHRYSLER	N	ZZ	SWC10019-4	8	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
							2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
100.33mm (3.950"):		1.50mm (0.059") x 1.75mm (0.069") x 2.00mm (0.079")														
100.33	3.950	PORSCHE	N		SWE44406-4 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
100.40mm (3.953"):		1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
100.40	3.953	FORD	S	ZZ	SWF30012-0	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
100.40mm (3.953"):		1.60mm (0.063") x 1.75mm (0.069") x 3.50mm (0.138")														
100.40	3.953	MAZDA	N	ZZ	SWT20072-0	6	1.60	0.063	x	4.00	0.157	BF		CR02	CHROME	
							1.75	0.069	x	4.00	0.157	TUC		CR01	FERROX	
							3.50	0.138	x	3.15	0.124	NIF-S		SR02	CHROME	
100.50mm (3.957"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
100.50	3.957	HI PERFORM	N		21-GNH10050	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.146	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
100.50mm (3.957"):		1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
100.50	3.957	SUBARU	N	ZZ	SWF20068-4	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
100.50 NEW	3.957	GMC	N	ZZ	SWC10024-4	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.70	0.106	NIF-H		SR02	CHROME	
100.50mm (3.957"):		1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
100.50	3.957	SUBARU	N	ZZ	SWF20066-4	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.50mm (3.957"):		1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")														
100.50	3.957	SUBARU	N	ZZ	SWF20064-4	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	ES-TUC		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
100.50mm (3.957"):		1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
100.50	3.957	HI PERFORM	N		XH3957	1	1.20	0.047	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1		CR01	FERROX	
							4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
100.50mm (3.957"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
100.50	3.957	CHRYSLER	N	ZX	SWC10016-4 (SWL03190-4)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
100.50mm (3.957"):		2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.122")														
100.50	3.957	NISSAN	N	ZZ	SWN30181-4	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.50mm (3.957"):		1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
100.50	3.957	PORSCHE	N		SWE44016-2 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
100.50	3.957	PORSCHE	N		SWE44056-2 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.05	0.159	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.50mm (3.957"):		1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")														
100.50	3.957	TOYOTA	S	ZZ	SWT10184-2	6	1.75	0.069	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.50mm (3.957"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.50	3.957	TOYOTA	S	ZZ	SWT10168-2	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.58mm (3.960"):		1.50mm (0.059") x 1.75mm (0.069") x 2.00mm (0.079")														
100.58	3.960	PORSCHE	N		SWE44106-2 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
100.65mm (3.963"):		1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
100.65	3.963	FORD	N	ZZ	SWF30012-1	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
100.65mm (3.963"):		1.60mm (0.063") x 1.75mm (0.069") x 3.50mm (0.138")														
100.65	3.963	MAZDA	N	ZZ	SWT20072-1	6	1.60	0.063	x	4.00	0.157	BF		CR02	CHROME	
							1.75	0.069	x	4.00	0.157	TUC		CR01	FERROX	
							3.50	0.138	x	3.15	0.124	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
100.75mm (3.967"):		1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
100.75	3.967	PORSCHE	N		SWE44016-3 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
100.75	3.967	PORSCHE	N		SWE44056-3 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.05	0.159	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
100.75mm (3.967"):		1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")														
100.75	3.967	TOYOTA	N	ZZ	SWT10184-3	6	1.75	0.069	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.75mm (3.967"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
100.75	3.967	TOYOTA	N	ZZ	SWT10168-3	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
100.83mm (3.970"):		1.50mm (0.059") x 1.75mm (0.069") x 2.00mm (0.079")														
100.83	3.970	PORSCHE	N		SWE44106-3 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
100.90mm (3.972"):		1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
100.90	3.972	FORD	N	ZZ	SWF30012-2	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
100.90mm (3.972"):		1.60mm (0.063") x 1.75mm (0.069") x 3.50mm (0.138")														
100.90	3.972	MAZDA	N	ZZ	SWT20072-2	6	1.60	0.063	x	4.00	0.157	BF		CR02	CHROME	
							1.75	0.069	x	4.00	0.157	TUC		CR01	FERROX	
							3.50	0.138	x	3.15	0.124	NIF-S		SR02	CHROME	
101.00mm (3.976"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
101.00	3.976	HI PERFORM	N		21-GNH10100	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.10	0.146	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
101.00mm (3.976"):		1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
101.00	3.976	HI PERFORM	N		XH3977	1	1.20	0.047	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1		CR01	FERROX	
							4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
101.00mm (3.976"):		1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
101.00	3.976	PORSCHE	N		SWE44016-4 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
101.00	3.976	PORSCHE	N		SWE44056-4 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.05	0.159	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
101.00mm (3.976"):		1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")														
101.00	3.976	TOYOTA	S	ZZ	SWT10184-4	6	1.75	0.069	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
101.00mm (3.976"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
101.00	3.976	TOYOTA	N	ZZ	SWT10168-4	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
101.08mm (3.980"):		1.50mm (0.059") x 1.75mm (0.069") x 2.00mm (0.079")														
101.08	3.980	PORSCHE	N		SWE44106-4 DELETE	6	1.50	0.059	x	3.80	0.150	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.20	0.165	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
101.15mm (3.982"):		1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
100.15	3.943	FORD	N	ZZ	SWF30012-3	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
101.15mm (3.982"):		1.60mm (0.063") x 1.75mm (0.069") x 3.50mm (0.138")														
100.15	3.943	MAZDA	N	ZZ	SWT20072-3	6	1.60	0.063	x	4.00	0.157	BF		CR02	CHROME	
							1.75	0.069	x	4.00	0.157	TUC		CR01	FERROX	
							3.50	0.138	x	3.15	0.124	NIF-S		SR02	CHROME	
101.40mm (3.992"):		1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
101.40	3.992	FORD	N	ZZ	SWF30012-4	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
101.40mm (3.992"):		1.60mm (0.063") x 1.75mm (0.069") x 3.50mm (0.138")														
101.40	3.992	MAZDA	N	ZZ	SWT20072-4	6	1.60	0.063	x	4.00	0.157	BF		CR02	CHROME	
							1.75	0.069	x	4.00	0.157	TUC		CR01	FERROX	
							3.50	0.138	x	3.15	0.124	NIF-S		SR02	CHROME	
101.60mm (4.000"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
101.60	4.000	GMC	S	ZX	SWG10031-0	6	1.20	0.047	x	3.60	0.142	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
101.60mm (4.000"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
101.60	4.000	HI PERFORM	N		22-GNHD4000 23-GNHD4000 25-GNHD4000	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
101.60	4.000	ISUZU	S	ZZ	SWI10196-0	6	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
101.60	4.000	ISUZU	S	ZZ	SWI10197-0	8	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
101.73mm (4.005"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
101.73	4.005	HI PERFORM	N		22-GNHD4005 23-GNHD4005 25-GNHD4005	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
101.85mm (4.010"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
101.85	4.010	GMC	N	ZX	SWG10031-1	6	1.20	0.047	x	3.60	0.142	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
101.85mm (4.010"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
101.85	4.010	ISUZU	N	ZZ	SWI10196-1	6	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
101.85	4.010	ISUZU	N	ZZ	SWI10197-1	8	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
101.98mm (4.015"):		3.00mm (0.118")														
101.98	4.015	HI PERFORM	N		22-GNHD4015	1	1.50	0.059	x	TBA		BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	TBA		TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
102.00mm (4.016"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
102.00	4.016	HI PERFORM	N		21-GNH10200	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	4.40	0.173	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
102.10mm (4.020"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
102.10	4.020	GMC	S	ZX	SWG10031-2	6	1.20	0.047	x	3.60	0.142	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
102.10mm (4.020"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
102.10	4.020	ISUZU	S	ZZ	SWI10196-2	6	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
102.10	4.020	ISUZU	S	ZZ	SWI10197-2	8	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
102.11mm (4.020"):		2.00mm (0.079") x 2.00mm (0.079") x 3.00mm (0.118")														
102.11 NEW	4.020	HI PERFORM	N		DSL4020	1	2.00	0.079	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.20	0.165	T1-IC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	E-BC16		SR34	SOFT NITRIDED	
102.20mm (4.024"):		1.20mm (0.047") x 1.75mm (0.069") x 2.00mm (0.079")														
102.20	4.024	BENZ	N		SWE12628-0 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	4.00	0.157	T1-RC		CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-S		SR34	SOFT NITRIDED	
102.24mm (4.025"):		3.00mm (0.118")														
102.24	4.025	HI PERFORM	N		22-GNHD4025	1	1.50	0.059	x	TBA		BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	TBA		TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
102.35mm (4.030"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
102.35	4.030	GMC	S	ZX	SWG10031-3	6	1.20	0.047	x	3.60	0.142	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC		CR01	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
102.35mm (4.030"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
102.35	4.030	ISUZU	S	ZZ	SWI10196-3	6	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	
102.35	4.030	ISUZU	S	ZZ	SWI10197-3	8	1.50	0.059	x	3.65	0.144	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
102.36mm (4.030"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.36	4.030	HI PERFORM	N		22-GNHD4030	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4030		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4030		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
102.36mm (4.030"):		2.00mm (0.079") x 2.00mm (0.079") x 3.00mm (0.118")													
102.36	4.030	HI PERFORM	N		DSL4030	1	2.00	0.079	x	3.70	0.146	BF-IB	SR35	GAS NITRIDED	
NEW							2.00	0.079	x	4.20	0.165	T1-IC	CR02	CHROME	
							3.00	0.118	x	3.00	0.118	E-BC16	SR34	SOFT NITRIDED	
102.41mm (4.032"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.41	4.032	HI PERFORM	N		22-GNHD4032	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4032		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4032		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
102.45mm (4.033"):		1.20mm (0.047") x 1.75mm (0.069") x 2.00mm (0.079")													
102.45	4.033	BENZ	N		SWE12628-4	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					DELETE		1.75	0.069	x	4.00	0.157	T1-RC	CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-S	SR34	SOFT NITRIDED	
102.49mm (4.035"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.49	4.035	HI PERFORM	N		22-GNHD4035	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4035		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4035		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
102.60mm (4.039"):		1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")													
102.60	4.039	GMC	S	ZX	SWG10031-4	6	1.20	0.047	x	3.60	0.142	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.20	0.165	TUC	CR01	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S	SR34	SOFT NITRIDED	
102.60mm (4.039"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.60	4.039	ISUZU	S	ZZ	SWI10196-4	6	1.50	0.059	x	3.65	0.144	BF-IB	SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC	CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S	SR02	CHROME	
102.60	4.039	ISUZU	S	ZZ	SWI10197-4	8	1.50	0.059	x	3.65	0.144	BF-IB	SR10	CHROME	
							1.50	0.059	x	4.30	0.169	T1-RC	CR01	FERROX	
							3.00	0.118	x	3.35	0.132	NIF-S	SR02	CHROME	
102.62mm (4.040"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.62	4.040	HI PERFORM	N		22-GNHD4040	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4040		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4040		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
102.67mm (4.042"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
102.67	4.042	HI PERFORM	N		22-GNHD4042	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4042		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4042		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
102.70mm (4.043"):		1.20mm (0.047") x 1.75mm (0.069") x 2.00mm (0.079")													
102.70	4.043	BENZ	N		SWE12628-2	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					DELETE		1.75	0.069	x	4.00	0.157	T1-RC	CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-S	SR34	SOFT NITRIDED	
102.74mm (4.045"):		3.00mm (0.118")													
102.74	4.045	HI PERFORM	N		22-GNHD4045	1			x						
					23-GNHD4045				x						
					25-GNHD4045		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
102.95mm (4.053"):		1.20mm (0.047") x 1.75mm (0.069") x 2.00mm (0.079")													
102.95	4.053	BENZ	N		SWE12628-3 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
							1.75	0.069	x	4.00	0.157	T1-RC	CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-S	SR34	SOFT NITRIDED	
103.00mm (4.055"):		2.00mm (0.079") x 2.00mm (0.079") x 3.00mm (0.118")													
103.00	4.055	HI PERFORM	N		DSL4055	1	2.00	0.079	x	3.70	0.146	BF-IB	SR35	GAS NITRIDED	
							2.00	0.079	x	4.40	0.173	T1-IC	CR02	CHROME	
							3.00	0.118	x	3.00	0.114	E-BC16	SR34	SOFT NITRIDED	
103.00mm (4.055"):		3.00mm (0.118")													
103.00	4.055	HI PERFORM	N		22-GNHD4055	1			x						
					23-GNHD4055				x						
					25-GNHD4055		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
103.12mm (4.060"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
103.12	4.060	HI PERFORM	N		22-GNHD4060	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4060		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4060		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
103.20mm (4.063"):		1.20mm (0.047") x 1.75mm (0.069") x 2.00mm (0.079")													
103.20	4.063	BENZ	N		SWE12628-4 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
							1.75	0.069	x	4.00	0.157	T1-RC	CR01	FERROX	
							2.00	0.079	x	2.70	0.106	NIF-S	SR34	SOFT NITRIDED	
103.25mm (4.065"):		1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")													
103.25 NEW	4.065	GMC	N	ZZ	SWG10050-0	8	1.50	0.059	x	3.50	0.138	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.70	0.185	TUC	CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H	SR02	CHROME	
103.25mm (4.065"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
103.25	4.065	HI PERFORM	N		22-GNHD4065	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4065		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4065		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
103.38mm (4.070"):		3.00mm (0.118")													
103.38	4.070	HI PERFORM	N		22-GNHD4070	1	1.50	0.059	x	TBA		BF-IB	SR35	GAS NITRIDED	
					23-GNHD4070		1.50	0.059	x	TBA		TUC	CR01	FERROX	
					25-GNHD4070		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
103.50mm (4.075"):		1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")													
103.50 NEW	4.075	GMC	N	ZZ	SWG10050-1	8	1.50	0.059	x	3.50	0.138	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.70	0.185	TUC	CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H	SR02	CHROME	
103.50mm (4.075"):		2.00mm (0.079") x 2.00mm (0.079") x 3.00mm (0.118")													
103.50	4.075	HI PERFORM	N		DSL4075	1	2.00	0.079	x	3.70	0.146	BF-IB	SR35	GAS NITRIDED	
							2.00	0.079	x	4.40	0.173	T1-IC	CR02	CHROME	
							3.00	0.118	x	3.00	0.114	E-BC16	SR34	SOFT NITRIDED	
103.63mm (4.080"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")													
103.63	4.080	HI PERFORM	N		22-GNHD4080	1	1.50	0.059	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
					23-GNHD4080		1.50	0.059	x	3.90	0.154	TUC	CR01	FERROX	
					25-GNHD4080		3.00	0.118	x	2.90	0.114	NIF-H	SR34	SOFT NITRIDED	
103.50mm (4.075"):		1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")													
103.75 NEW	4.085	GMC	N	ZZ	SWG10050-2	8	1.50	0.059	x	3.50	0.138	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.70	0.185	TUC	CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H	SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
104.00mm (4.095")		1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
104.00 NEW	4.095	GMC	N	ZZ	SWG10050-3	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.70	0.185	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H		SR02	CHROME	
104.00mm (4.095")		2.00mm (0.079") x 2.00mm (0.079") x 3.00mm (0.118")														
104.00 NEW	4.095	HI PERFORM	N		DSL4095	1	2.00	0.079	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.40	0.173	T1-IC		CR02	CHROME	
							3.00	0.118	x	3.00	0.114	E-BC16		SR34	SOFT NITRIDED	
104.14mm (4.100"):		3.00mm (0.118")														
104.14	4.100	HI PERFORM	N		22-GNHD4100	1	1.50	0.059	x	TBA		BF-IB		SR35	GAS NITRIDED	
					23-GNHD4100		1.50	0.059	x	TBA		TUC		CR01	FERROX	
					25-GNHD4100		3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
104.25mm (4.104")		1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
104.25 NEW	4.104	GMC	N	ZZ	SWG10050-4	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.70	0.185	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H		SR02	CHROME	
104.78mm (4.125"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
104.78	4.125	HI PERFORM	N		22-GNHD4125	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
					23-GNHD4125		1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
					25-GNHD4125		3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	
104.80mm (4.126"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
104.80	4.126	HI PERFORM	N		21-GNH10480	1	1.00	0.039	x	TBA		BF		SR34	GAS NITRIDED	
							1.20	0.047	x	TBA		TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
104.90mm (4.130"):		1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
104.90	4.130	HI PERFORM	N		22-GNHD4130	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
					23-GNHD4130		1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
					25-GNHD4130		3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	