

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>1.00mm (0.039") x 1.00mm (0.039") x 2.00mm (0.079")</b>														
85.00	3.346	SUBARU	N	ZZ	SWF20073-4	1	1.00	0.039	x	2.67	0.105	BF-IB		SR10	CHROME	
							1.00	0.039	x	2.70	0.106	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
85.00	3.346	HI PERFORM	N		21-GRN08500ES	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.00	3.346	HI PERFORM	N		21-GNH08500	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
85.00	3.346	HI PERFORM	N		XC3347	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
85.00	3.346	HI PERFORM	N		XC3347H	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-H		SR02	CHROME	
85.00	3.346	HI PERFORM	N		XC3347LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
85.00 NEW	3.346	HI PERFORM	S		21-PVH08500	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	N	ZZ	SWM31143-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
85.00	3.346	NISSAN	N	ZZ	SWN30154-4	4	1.20	0.047	x	2.65	0.104	BF		SR10	CHROME	
							1.20	0.047	x	3.00	0.118	TUC		CR01	FERROX	
							2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
85.00	3.346	NISSAN	N	ZZ	SWN30166-4	4	1.20	0.047	x	2.65	0.104	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.00	0.118	TUC		CR02	CHROME	
							2.00	0.079	x	2.58	0.102	NIF-H		SR34	SOFT NITRIDED	
85.00	3.346	NISSAN	N	ZZ	SWN30188-4	4	1.20	0.047	x	2.75	0.108	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.00	0.118	TUC		CR01	FERROX	
							2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
85.00	3.346	SUZUKI	N	ZZ	SWS20216-4	4	1.20	0.047	x	2.50	0.098	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.00	0.118	TUC		CR02	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.00	3.346	HONDA	S	ZZ	SWH30367-0	5	1.20	0.047	x	3.15	0.124	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
85.00	3.346	HONDA	S	ZZ	SWH30383-0	4	1.20	0.047	x	3.10	0.122	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	HONDA	S	ZZ	SWH30437-4	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
85.00 <b>NEW</b>	3.346	HONDA	N	ZZ	SWH30476-0	4	1.20	0.047	x	TBA		BF		SR10	CHROME	
							1.20	0.047	x	TBA		T1		CR01	FERROX	
							2.80	0.110	x	TBA		NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>														
85.00	3.346	HONDA	S	ZZ	SWH30369-4	6	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1-IB		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
85.00	3.346	BMW	N	ZZ	SWE07486-4 <b>DELETE</b>	6	1.20	0.047	x	3.00	0.118	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.112	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	VOLKSWAGEN	N	ZZ	SWE5096-4 <b>DELETE</b>	6	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR01	FERROX	
							2.00	0.079	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	VOLKSWAGEN	N	ZZ	SWE50946-4 <b>DELETE</b>	6	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR01	FERROX	
							2.00	0.079	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	BMW	N	ZZ	SWE073612-0 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	AUDI	N	ZZ	SWE50916-2 <b>DELETE</b>	6	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	E-BC16		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
85.00	3.346	BENZ	N	ZZ	SWE109712-4 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	SUZUKI	S	ZZ	SWS20178-4	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.55	0.140	ES-TUC		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	SUZUKI	N	ZZ	SWS20207-4	6	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.55	0.140	ES-TUC		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.00	3.346	HYUNDAI	N	ZZ	SWG30026-0 (SWL03121-0)	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	S	ZZ	SWM31103-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.00	3.346	AUDI	N		SWE50028-2 <b>DELETE</b>	8	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
85.00	3.346	HYUNDAI	N	ZZ	SWG30027-0 (SWL03128-0)	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	S	ZZ	SWM31048-0	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	S	ZZ	SWM31071-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
85.00	3.346	BMW	N		SWE7034-4 <b>DELETE</b>	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.122	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	BMW	N		SWE7216-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.122	NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
85.00	3.346	BMW	N		SWE7426-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.122	NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.00	3.346	BMW	N		SWE7088-4 <b>DELETE</b>	8	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.122	NIF-S		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.00	3.346	NISSAN	N	ZZ	SWN30121-2	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFTNITRIDED	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.00	3.346	MAZDA	N	ZZ	SWT20073-2	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.00	3.346	ISUZU	S	ZZ	SW110098-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.00	3.346	HYUNDAI	N	ZZ	SWG30029-0 (SWL03167-0)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	N		SWM31046-0 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	N	ZZ	SWM31034-0	4	1.50	0.059	x	3.10	0.122	BF-M		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	MITSUBISHI	S		SWM31044-0 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	S	ZZ	SWN30053-2	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N		SWN30061-0 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	T1		CR01	FERROX	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N		SWN30063-2 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	S	ZZ	SWN30086-0	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	TIN PLATED	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	S	ZZ	SWT10088-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	N	ZZ	SWT10102-4	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
85.00	3.346	TOYOTA	S		SXT10059-0 <b>DELETE</b>	4	1.50	0.059	x	3.80	0.150	BF		CR02	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	S	ZZ	SWT10059-0	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.00	3.346	BMW	N		SWE07176-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.30	0.130	TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
85.00	3.346	BMW	N		SWE07186-4 <b>DELETE</b>	6	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	PUC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	N	ZZ	SWT10076-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>1.75mm (0.069") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.00	3.346	BMW	N		SWE070712-4 <b>DELETE</b>	12	1.75	0.069	x	3.20	0.126	BF-IB		CR10	CHROME	
							1.75	0.069	x	3.30	0.130	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR02	CHROME	
85.00	3.346	AUDI	N		SWE50568-2 <b>DELETE</b>	8	1.75	0.069	x	3.30	0.130	BF-IB		CR10	CHROME	
							1.75	0.069	x	3.30	0.130	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR34	SOFT NITRIDED	
<b>85.00mm (3.346"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.00	3.346	NISSAN	N	ZZ	SWN30075-2	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>85.00mm (3.346"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.00	3.346	NISSAN	N	ZZ	SWN30084-0	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.00mm (3.346"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
85.00	3.346	SUBARU	S	ZZ	SWF20014-0	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	ISUZU	N	ZZ	SCI10052-4	4	2.00	0.079	x	4.00	0.157	T1		CR02	UNIFRON	
							2.00	0.079	x	4.00	0.157	ES-TUC		CR02	UNIFRON	
							4.00	0.157	x	4.00	0.157	BC3		CR02	UNIFRON	
85.00	3.346	ISUZU	S	ZZ	SWI10056-4	4	2.00	0.079	x	4.00	0.157	T1		CR02	UNIFRON	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
85.00	3.346	ISUZU	N	ZZ	SWI10087-4	4	2.00	0.079	x	3.80	0.150	BF		CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
85.00	3.346	MITSUBISHI	S	ZZ	SWM30074-4	4	2.00	0.079	x	3.60	0.142	BF		CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
85.00	3.346	MITSUBISHI	S	ZY	SWM31013-0	4	2.00	0.079	x	3.60	0.142	BF		CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N		SXN30020-0 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	4 CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	S		SWN30020-0 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N	ZX	SWN30020-0	4	2.00	0.079	x	3.05	0.120	BF		SR10	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N		SWN30144-0 DELETE	6	2.00	0.079	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.50	0.138	T1-IC		CR02	CHROME	
							4.00	0.157	x	4.35	0.171	E-BC16		SR34	SOFT NITRIDED	
85.00	3.346	NISSAN	S	ZZ	SWN30048-0	4	2.00	0.079	x	3.90	0.154	BF		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N		SWN30050-0 DELETE	4	2.00	0.079	x	3.90	0.154	BF		CR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	NISSAN	N	ZZ	SWN30081-0	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	N	ZZ	SXT10067-4	4	2.00	0.079	x	4.00	0.157	BF		SR10	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	S	ZZ	SWT10040-0	4	2.00	0.079	x	4.00	0.157	BF		CR02	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.00	3.346	TOYOTA	N		SXT10040-0 DELETE	4	2.00	0.079	x	4.00	0.157	BF		CR02	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.05mm (3.348"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.05	3.348	FORD	N	ZZ	SWF30002-1 (SWL03061-1)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR02	CHROME	
<b>85.15mm (3.352"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.15	3.352	FORD	N	ZZ	SWF30005-1 (SWL03109-1)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>85.15mm (3.352"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.15	3.352	FORD	N	ZZ	SWF30007-1 (SWL03135-1)	4	1.50	0.059	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.75	0.069	x	3.80	0.128	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.122	NIF-S		SR34	SOFT NITRIDED	
85.15	3.352	FORD	N	ZY	SWF30007AM-1 (SWL03135AM-1)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.25mm (3.356"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.25	3.356	HI PERFORM	N		21-GNH08525	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>85.25mm (3.356"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
85.25	3.356	MITSUBISHI	N	ZZ	SWM31143-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
<b>85.25mm (3.356"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.25	3.356	HONDA	N	ZZ	SWH30367-1	5	1.20	0.047	x	3.15	0.124	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
85.25	3.356	HONDA	S	ZZ	SWH30383-1	4	1.20	0.047	x	3.10	0.122	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.25 <b>NEW</b>	3.356	HONDA	N		SWH30476-1	4	1.20	0.047	x	TBA		BF		SR10	CHROME	
							1.20	0.047	x	TBA		T1		CR01	FERROX	
							2.80	0.110	x	TBA		NIF-S		SR34	SOFT NITRIDED	
<b>85.25mm (3.356"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
85.25	3.356	BMW	N		SWE073642-4 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	AUDI	N		SWE50946-3 <b>DELETE</b>	6	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	E-BC16		SR34	SOFT NITRIDED	
<b>85.25mm (3.356"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.25	3.356	HYUNDAI	N	ZZ	SWG30026-1 (SWL03121-1)	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	N	ZZ	SWM31103-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.25mm (3.356"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.25	3.356	AUDI	N		SWE50828-3 <b>DELETE</b>	8	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	N	ZZ	SWG30027-1 (SWL03128-1)	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	S	ZZ	SWM31048-1	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	N	ZZ	SWM31071-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>85.25mm (3.356"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.25	3.356	NISSAN	N	ZZ	SWN30121-3	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFTNITRIDED	
<b>85.25mm (3.356"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.25	3.356	MAZDA	N	ZZ	SWT20073-3	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.25mm (3.356"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.25	3.356	HYUNDAI	N	ZZ	SWG30029-1 (SWL03167-1)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	N	ZZ	SWM31046-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	N	ZZ	SWM31034-1	4	1.50	0.059	x	3.10	0.122	BF-M		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
85.25	3.356	MITSUBISHI	S	ZZ	SWM31044-4 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	S	ZZ	SWN30053-3	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N	ZZ	SWN30061-4 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	T1		CR01	FERROX	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N	ZZ	SWN30063-3 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	S	ZZ	SWN30086-1	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	TIN PLATED	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.25	3.356	TOYOTA	S	ZZ	SXT10059-1 <b>DELETE</b>	4	1.50	0.059	x	3.80	0.150	BF		CR02	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.25	3.356	TOYOTA	S	ZZ	SWT10059-1	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.25mm (3.356"):</b>		<b>1.75mm (0.069") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.25	3.356	AUDI	N	ZZ	SWE50568-3 <b>DELETE</b>	8	1.75	0.069	x	3.30	0.130	BF-IB		CR10	CHROME	
							1.75	0.069	x	3.30	0.130	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR34	SOFT NITRIDED	
<b>85.25mm (3.356"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.25	3.356	NISSAN	N	ZZ	SWN30075-3	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>85.25mm (3.356"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.25	3.356	NISSAN	N	ZZ	SWN30084-1	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.25mm (3.356"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
85.25	3.356	SUBARU	N	ZZ	SWF20014-1	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	MITSUBISHI	S	ZY	SWM31013-1	4	2.00	0.079	x	3.60	0.142	BF		CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N		SXN30020-1 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	T1		CR02	4 CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	S		SWN30020-1 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N	ZX	SWN30020-1	4	2.00	0.079	x	3.05	0.120	BF		SR10	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N		SWN30144-1 <b>DELETE</b>	6	2.00	0.079	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.50	0.138	T1-IC		CR02	CHROME	
							4.00	0.157	x	4.35	0.171	E-BC16		SR34	SOFT NITRIDED	
85.25	3.356	NISSAN	N	ZZ	SWN30048-1	4	2.00	0.079	x	3.90	0.154	BF		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N		SWN30050-1 <b>DELETE</b>	4	2.00	0.079	x	3.90	0.154	BF		CR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	NISSAN	N	ZZ	SWN30081-1	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.25	3.356	TOYOTA	S	ZZ	SWT10040-1	4	2.00	0.079	x	4.00	0.157	BF		CR02	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.25	3.356	TOYOTA	N		SXT10040-1 <b>DELETE</b>	4	2.00	0.079	x	4.00	0.157	BF		CR02	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>85.30mm (3.358"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.30	3.358	FORD	S	ZZ	SWF30002-2 (SWL03061-2)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR02	CHROME	
<b>85.40mm (3.352"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.40	3.362	FORD	S	ZZ	SWF30005-2 (SWL03109-2)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
85.40	3.362	FORD	S	ZZ	SWF30007-2 (SWL03135-2)	4	1.50	0.059	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.75	0.069	x	3.80	0.128	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.122	NIF-S		SR34	SOFT NITRIDED	
85.40	3.362	FORD	S	ZY	SWF30007AM-2 (SWL03135AM-2)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.50mm (3.366"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.50	3.366	HI PERFORM	N		XC3366	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
85.50	3.366	HI PERFORM	N		21-GNH08550	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>85.50mm (3.366"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
85.00 <b>NEW</b>	3.346	HI PERFORM	S		21-PVH08550	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	N	ZZ	SWM31143-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
<b>85.50mm (3.366"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.50	3.366	HONDA	S	ZZ	SWH30367-2	5	1.20	0.047	x	3.15	0.124	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
85.50	3.366	HONDA	S	ZZ	SWH30383-2	4	1.20	0.047	x	3.10	0.122	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.50 <b>NEW</b>	3.366	HONDA	N		SWH30476-2	4	1.20	0.047	x	TBA		BF		SR10	CHROME	
							1.20	0.047	x	TBA		T1		CR01	FERROX	
							2.80	0.110	x	TBA		NIF-S		SR34	SOFT NITRIDED	
<b>85.50mm (3.366"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
85.50	3.366	BMW	N		SWE073642-2 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	AUDI	N		SWE50946-4 <b>DELETE</b>	6	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	E-BC16		SR34	SOFT NITRIDED	
<b>85.50mm (3.366"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.50	3.366	HYUNDAI	N	ZZ	SWG30026-2 (SWL03121-2)	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	S	ZZ	SWM31103-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.50mm (3.366"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.50	3.366	AUDI	N		SWE50828-3 <b>DELETE</b>	8	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
85.50	3.366	VOLKSWAGEN	N		SWE50958-0 <b>DELETE</b>	8	1.20	0.047	x	3.00	0.118	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
85.50	3.366	HYUNDAI	N	ZZ	SWG30027-2 (SWL03128-2)	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	S	ZZ	SWM31048-2	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	S	ZZ	SWM31071-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>85.50mm (3.366"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.50	3.366	NISSAN	N	ZZ	SWN30121-4	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFTNITRIDED	
<b>85.50mm (3.366"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.50	3.366	MAZDA	N	ZZ	SWT20073-4	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.50mm (3.366"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.50	3.366	HYUNDAI	N	ZZ	SWG30029-2 (SWL03167-2)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	N	ZZ	SWM31046-2 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	N	ZZ	SWM31034-2	4	1.50	0.059	x	3.10	0.122	BF-M		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
85.50	3.366	MITSUBISHI	S	ZZ	SWM31044-2 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	S	ZZ	SWN30053-4	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N	ZZ	SWN30061-2 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	T1		CR01	FERROX	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N	ZZ	SWN30063-4 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	S	ZZ	SWN30086-2	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	TIN PLATED	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.50	3.366	TOYOTA	S	ZZ	SXT10059-2 <b>DELETE</b>	4	1.50	0.059	x	3.80	0.150	BF		CR02	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.50	3.366	TOYOTA	S	ZZ	SWT10059-2	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.50mm (3.366"):</b>		<b>1.75mm (0.069") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.50	3.366	AUDI	N	ZZ	SWE50568-4 <b>DELETE</b>	8	1.75	0.069	x	3.30	0.130	BF-IB		CR10	CHROME	
							1.75	0.069	x	3.30	0.130	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR34	SOFT NITRIDED	
<b>85.50mm (3.366"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.50	3.366	NISSAN	N	ZZ	SWN30075-4	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>85.50mm (3.366"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.50	3.366	NISSAN	N	ZZ	SWN30084-2	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.50mm (3.366"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
85.50	3.366	SUBARU	N	ZZ	SWF20014-2	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	MITSUBISHI	S	ZY	SWM301013-2	4	2.00	0.079	x	3.60	0.142	BF		CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N		SXN30020-2 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	4 CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	S		SWN30020-2 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N	ZX	SWN30020-2	4	2.00	0.079	x	3.05	0.120	BF		SR10	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N		SWN30144-2 DELETE	6	2.00	0.079	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.50	0.138	T1-IC		CR02	CHROME	
							4.00	0.157	x	4.35	0.171	E-BC16		SR34	SOFT NITRIDED	
85.50	3.366	NISSAN	S	ZZ	SWN30048-2	4	2.00	0.079	x	3.90	0.154	BF		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N		SWN30050-2 DELETE	4	2.00	0.079	x	3.90	0.154	BF		CR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	NISSAN	N	ZZ	SWN30081-2	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.50	3.366	TOYOTA	S	ZZ	SWT10040-2	4	2.00	0.079	x	4.00	0.157	BF		CR02	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.50	3.366	TOYOTA	N		SXT10040-2 DELETE	4	2.00	0.079	x	4.00	0.157	BF		CR02	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>85.55mm (3.368"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.55	3.368	FORD	S	ZZ	SWF30002-3 (SWL03061-3)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR02	CHROME	
<b>85.65mm (3.372"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.65	3.372	HI PERFORM	N		21-GNH08565	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>85.65mm (3.372"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.65	3.372	FORD	S	ZZ	SWF30005-3 (SWL03109-3)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.65mm (3.372"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.65	3.372	FORD	S	ZZ	SWF30007-3 (SWL03135-3)	4	1.50	0.059	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.75	0.069	x	3.80	0.128	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.122	NIF-S		SR34	SOFT NITRIDED	
85.65	3.372	FORD	S	ZY	SWF30007AM-3 (SWL03135AM-3)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.69mm (3.374"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 4.76mm (0.187")</b>														
85.69	3.374	NISSAN	S	ZZ	SWN30022-0	6	2.50	0.098	x	3.70	0.146	T1		CR02	UNIFRON	
							2.50	0.098	x	3.70	0.146	T1		CR01	FERROX	
							4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
<b>85.70mm (3.374"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.70	3.374	HI PERFORM	N		21-GNH08570	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>85.75mm (3.376"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.75	3.376	HI PERFORM	N		21-GNH08575	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>85.75mm (3.376"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
85.75	3.376	MITSUBISHI	N	ZZ	SWM31143-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
<b>85.75mm (3.376"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
85.75	3.376	HONDA	N	ZZ	SWH30367-3	5	1.20	0.047	x	3.15	0.124	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
85.75	3.376	HONDA	N	ZZ	SWH30383-3	4	1.20	0.047	x	3.10	0.122	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.75 <b>NEW</b>	3.376	HONDA	N		SWH30476-3	4	1.20	0.047	x	TBA		BF		SR10	CHROME	
							1.20	0.047	x	TBA		T1		CR01	FERROX	
							2.80	0.110	x	TBA		NIF-S		SR34	SOFT NITRIDED	
<b>85.75mm (3.376"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
85.75	3.376	BMW	N		SWE073642-3 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>85.75mm (3.376"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
85.75	3.376	HYUNDAI	N	ZZ	SWG30026-3 (SWL03121-3)	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	N	ZZ	SWM31103-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.75mm (3.376"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.75	3.376	AUDI	N		SWE50828-4 <b>DELETE</b>	8	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
85.75	3.376	VOLKSWAGEN	N		SWE50958-4 <b>DELETE</b>	8	1.20	0.047	x	3.00	0.118	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	N	ZZ	SWM31048-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	HYUNDAI	N	ZZ	SWG30027-3 (SWL03128-3)	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	S	ZZ	SWM31071-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>85.75mm (3.376"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.75	3.376	HYUNDAI	N	ZZ	SWG30029-3 (SWL03167-3)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	N		SWM31046-3 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	N	ZZ	SWM31034-3	4	1.50	0.059	x	3.10	0.122	BF-M		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
85.75	3.376	MITSUBISHI	S		SWM31044-3 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N		SWN30061-3 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	T1		CR01	FERROX	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N	ZZ	SWN30086-3	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	TIN PLATED	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
85.75	3.376	TOYOTA	S		SXT10059-3 <b>DELETE</b>	4	1.50	0.059	x	3.80	0.150	BF		CR02	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.75	3.376	TOYOTA	S	ZZ	SWT10059-3	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>85.75mm (3.376"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
85.75	3.376	NISSAN	N	ZZ	SWN30084-3	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.75mm (3.376"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
85.75	3.376	SUBARU	N	ZZ	SWF20014-3	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	MITSUBISHI	S	ZY	SWM31013-3	4	2.00	0.079	x	3.60	0.142	BF		CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N		SXN30020-3 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	4 CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	S		SWN30020-3 DELETE	4	2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N	ZX	SWN30020-3	4	2.00	0.079	x	3.05	0.120	BF		SR10	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N		SWN30144-3 DELETE	6	2.00	0.079	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.50	0.138	T1-IC		CR02	CHROME	
							4.00	0.157	x	4.35	0.171	E-BC16		SR34	SOFT NITRIDED	
85.75	3.376	NISSAN	N	ZZ	SWN30048-3	4	2.00	0.079	x	3.90	0.154	BF		CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N		SWN30050-3 DELETE	4	2.00	0.079	x	3.90	0.154	BF		CR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	NISSAN	N	ZZ	SWN30081-3	4	2.00	0.079	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
85.75	3.376	TOYOTA	N	ZZ	SWT10040-3	4	2.00	0.079	x	4.00	0.157	BF		CR02	CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
85.75	3.376	TOYOTA	N		SXT10040-3 DELETE	4	2.00	0.079	x	4.00	0.157	BF		CR02	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>85.80mm (3.378"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.80	3.378	FORD	S	ZZ	SWF30002-4 (SWL03061-4)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.90	0.154	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	NIF-S		SR02	CHROME	
<b>85.90mm (3.382"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
85.90	3.382	FORD	S	ZZ	SWF30005-4 (SWL03109-4)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>85.90mm (3.382"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
85.90	3.382	FORD	S	ZZ	SWF30007-4 (SWL03135-4)	4	1.50	0.059	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.75	0.069	x	3.80	0.128	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.122	NIF-S		SR34	SOFT NITRIDED	
85.90	3.382	FORD	S	ZY	SWF30007AM-4 (SWL03135AM-4)	4	1.50	0.059	x	3.05	0.120	BF		SR10	CHROME	
							1.75	0.069	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>85.94mm (3.383"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 4.76mm (0.187")</b>														
85.94	3.383	NISSAN	S	ZZ	SWN30022-1	6	2.50	0.098	x	3.70	0.146	T1		CR02	UNIFRON	
							2.50	0.098	x	3.70	0.146	T1		CR01	FERROX	
							4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
<b>86.00mm (3.386):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.00	3.386	HI PERFORM	N		21-GRN08600ES	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
86.00	3.386	HI PERFORM	N		XC3386	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
86.00	3.386	HI PERFORM	N		XC3386LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
86.00	3.386	HI PERFORM	N		21-GNH08600	1	1.00	0.039	x	3.10	0.122	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.00 NEW	3.386	HI PERFORM	S		21-PVH08600	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
86.00	3.386	TOYOTA	N	ZZ	SDT10185-0	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.00 NEW	3.386	TOYOTA	N	ZZ	SDT10215-0	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.45	0.136	T1		CR01	CHROME	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.00	3.386	HYUNDAI	N	ZZ	SWG30042-0	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.00	3.386	HONDA	S	ZZ	SWH30454-0	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
86.00	3.386	MITSUBISHI	N	ZZ	SWM31143-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
86.00 NEW	3.386	MITSUBISHI	N	ZZ	SWM31178-0	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.00	3.386	TOYOTA	S	ZZ	SWT10186-0	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
86.00	3.386	NISSAN	S	ZZ	SWN30123-0	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
86.00	3.386	HONDA	N	ZZ	SWH30367-4	5	1.20	0.047	x	3.15	0.124	BF		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1		CR01	FERROX	
							2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
86.00	3.386	HONDA	S	ZZ	SWH30383-4	4	1.20	0.047	x	3.10	0.122	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	HONDA	S	ZZ	SWH30432-0	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
86.00	3.386	HONDA	S	ZZ	SWH30443-0	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
86.00	3.386	HONDA	N		SWH30476-4	4	1.20	0.047	x	TBA		BF		SR10	CHROME	
							1.20	0.047	x	TBA		T1		CR01	FERROX	
							2.80	0.110	x	TBA		NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
86.00	3.386	TOYOTA	S	ZY	SWT10162-0	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR02	CHROME	
86.00	3.386	TOYOTA	N		SWT10176-0 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF		SR35	PVD	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	UNIFRON	
86.00	3.386	TOYOTA	N	ZY	SWT10176-0	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.00	3.386	GMC	N	ZZ	SWG10032-0	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	NIF-H		SR34	SOFT NITRIDED	
86.00	3.386	BMW	N		SWE073212-0 <b>DELETE</b>	12	1.20	0.047	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
86.00	3.386	BMW	N		SWE073612-4 <b>DELETE</b>	12	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
86.00	3.386	GMC	S	ZY	SWG10019-0 (SWL03215-0)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
86.00	3.386	ISUZU	S	ZZ	SWI10206-0	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.00	3.386	HYUNDAI	N	ZZ	SWG30026-4 (SWL03121-4)	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	N	ZZ	SWM31103-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.00	3.386	VOLKSWAGEN	N		SWE50958-2 <b>DELETE</b>	8	1.20	0.047	x	3.00	0.118	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
86.00	3.386	GMC	S	ZZ	SWG80049-0	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	GMC	S	ZZ	SWG10016-0 (SWL03137-0)	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	GMC	S	ZY	SWG10016AM-0 (SWL03137AM-0)	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.00	3.386	HYUNDAI	N	ZZ	SWG30027-4 (SWL03128-4)	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	S	ZZ	SWM31048-4	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	S	ZZ	SWM31071-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.00	3.386	TOYOTA	S	ZZ	SWT10141-0	4	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.35	0.132	NIF-S		SR34	SOFT NITRIDED	
86.00 <b>NEW</b>	3.386	TOYOTA	N	ZZ	SWT10249-0	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
86.00 <b>NEW</b>	3.386	TOYOTA	N	ZZ	SWT10255-0	4	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.00	3.386	NISSAN	N	ZZ	SWN30091-0	6	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.00mm (3.386):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.00	3.386	CHRYSLER	S	ZZ	SWC10001-0 (SWL03042-0)	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.00	3.386	GMC	S	ZZ	SWG10010-0 (SWL03123-0)	4	1.50	0.059	x	3.25	0.128	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	GMC	S	ZY	SWG10010AM-0 (SWL03123AM-0)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.05	0.120	NIF-S		SR02	CHROME	
86.00	3.386	DAEWOO	N	ZZ	SWD20006-0 (SWL03180-0)	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.00	3.386	NISSAN	S	ZZ	SWN30102-0	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.00	3.386	ISUZU	S	ZX	SWI10205-0	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.00mm (3.386):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.00	3.386	KIA	N	ZZ	SWK30022-0	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
86.00	3.386	HYUNDAI	N	ZZ	SWG30029-4 (SWL03167-4)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1		CR02	CHROME	
							4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MAZDA	S	ZZ	SWT20048-0	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.00	3.386	MAZDA	S	ZZ	SWT20065-0	4	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	N		SWM31046-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	N	ZZ	SWM31034-4	4	1.50	0.059	x	3.10	0.122	BF-M		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	MITSUBISHI	S		SWM31044-4 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
86.00	3.386	NISSAN	N		SWN30061-4 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	T1		CR01	FERROX	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
86.00	3.386	NISSAN	N	ZZ	SWN30086-4	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1		CR02	TIN PLATED	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
86.00	3.386	NISSAN	N	ZZ	SWN30159-0	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	NISSAN	N		SWN30170-0 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-H		SR34	SOFT NITRIDED	
86.00 <b>NEW</b>	3.386	NISSAN	N	ZZ	SWN30202-0	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.00	3.386	TOYOTA	S		SXT10059-4 <b>DELETE</b>	4	1.50	0.059	x	3.80	0.150	BF		CR02	4 CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.00	3.386	TOYOTA	S	ZZ	SWT10059-4	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.00	3.386	TOYOTA	S	ZY	SWT10090-0	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.00	3.386	TOYOTA	S		SWT10119-0 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
86.00	3.386	TOYOTA	S	ZZ	SWT10134-0	6	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC	CR02	CHROME	
							4.00	0.157	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
86.00	3.386	TOYOTA	N	ZZ	SWT10216-0	6	1.50	0.059	x	3.25	0.128	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>													
86.00	3.386	NISSAN	N	ZZ	SWN30072-0	6	1.50	0.059	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							2.00	0.079	x	3.75	0.148	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	S	ZZ	SWN30066-0	6	1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.00mm (3.386):</b>		<b>1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")</b>													
86.00	3.386	TOYOTA	N	ZZ	SWT10125-0	4	1.75	0.069	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.05	0.120	TUC	CR02	CHROME	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.00mm (3.386):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>													
86.00	3.386	BMW	N		SWE07996-0 DELETE	6	1.75	0.069	x	3.20	0.126	BF-IB	SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC	CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S	SR02	CHROME	
<b>86.00mm (3.386):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>													
86.00	3.386	NISSAN	N	ZZ	SWN30084-4	4	2.00	0.079	x	2.90	0.114	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	T1	CR02	CHROME	
							4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	
<b>86.00mm (3.386):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>													
86.00	3.386	SUBARU	N	ZZ	SWF20014-4	4	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.00	0.079	x	3.90	0.154	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	MITSUBISHI	S	ZY	SWM31013-4	4	2.00	0.079	x	3.60	0.142	BF	CR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	N		SXN30020-4 DELETE	4	2.00	0.079	x	4.20	0.165	T1	CR02	4 CHROME	
							2.00	0.079	x	4.20	0.165	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	S		SWN30020-4 DELETE	4	2.00	0.079	x	4.20	0.165	T1	CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	N	ZX	SWN30020-4	4	2.00	0.079	x	3.05	0.120	BF	SR10	CHROME	
							2.00	0.079	x	4.20	0.165	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	N		SWN30144-4 DELETE	6	2.00	0.079	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							2.00	0.079	x	3.50	0.138	T1-IC	CR02	CHROME	
							4.00	0.157	x	4.35	0.171	E-BC16	SR34	SOFT NITRIDED	
86.00	3.386	NISSAN	S	ZZ	SWN30048-4	4	2.00	0.079	x	3.90	0.154	BF	CR02	CHROME	
							2.00	0.079	x	4.20	0.165	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
86.00	3.386	NISSAN	N		SWN30050-4 DELETE	4	2.00	0.079	x	3.90	0.154	BF	CR10	CHROME	
							2.00	0.079	x	4.00	0.157	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	N	ZZ	SWN30081-4	4	2.00	0.079	x	2.90	0.114	BF-IB	SR35	GAS NITRIDED	
							2.00	0.079	x	3.70	0.146	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.00	3.386	NISSAN	S	ZZ	SWN30047-0	6	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.00	3.386	TOYOTA	N	ZZ	SWT10040-4	4	2.00	0.079	x	4.00	0.157	BF	CR02	CHROME	
							2.00	0.079	x	4.00	0.157	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.00	3.386	TOYOTA	N		SXT10040-4 DELETE	4	2.00	0.079	x	4.00	0.157	BF	CR02	4 CHROME	
							2.00	0.079	x	4.00	0.157	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
<b>86.00mm (3.386): 2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>															
86.00	3.386	TOYOTA	S	ZZ	SWT10019-0	4	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.50	0.098	x	3.90	0.154	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.00mm (3.386): 2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>															
86.00	3.386	ISUZU	N	ZZ	SCI10021-0	4	2.50	0.098	x	4.10	0.161	T1	CR02	UNIFRON	
							2.50	0.098	x	4.10	0.161	ES-TUC	CR02	UNIFRON	
							5.00	0.197	x	4.10	0.161	BC3	CR02	UNIFRON	
<b>86.19mm (3.393"): 2.50mm (0.098") x 2.50mm (0.098") x 4.76mm (0.187")</b>															
86.19	3.393	NISSAN	S	ZZ	SWN30022-2	6	2.50	0.098	x	3.70	0.146	T1	CR02	UNIFRON	
							2.50	0.098	x	3.70	0.146	T1	CR01	FERROX	
							4.76	0.187	x	4.05	0.159	NIF-S	SR02	CHROME	
<b>86.20mm (3.394"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>															
86.20	3.394	NISSAN	N	ZZ	SWN30124-0	4	1.20	0.047	x	3.10	0.122	BF	SR34	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1	CR02	CHROME	
							2.50	0.098	x	2.85	0.122	NIF-S	SR34	SOFT NITRIDED	
<b>86.20mm (3.394"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>															
86.20	3.394	NISSAN	N	ZZ	SWN30109-0	4	1.50	0.059	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1	CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
<b>86.25mm (3.396"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
86.25	3.396	HI PERFORM	N		21-GNH08625	1	1.00	0.039	x	3.30	0.130	BF	SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH	CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.25	3.396	TOYOTA	N	ZZ	SDT10185-1	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.25 NEW	3.396	TOYOTA	N	ZZ	SDT10215-1	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.45	0.136	T1		CR01	CHROME	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.25	3.396	HYUNDAI	N	ZZ	SWG30042-1	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.25	3.396	HONDA	N	ZZ	SWH30454-1	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
86.25 NEW	3.396	MITSUBISHI	N	ZZ	SWM31178-1	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.25	3.396	TOYOTA	N	ZZ	SWT10186-1	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
86.25	3.396	NISSAN	S	ZZ	SWN30123-1	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
86.25	3.396	HONDA	N	ZZ	SWH30432-1	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
86.25	3.396	HONDA	N	ZZ	SWH30443-1	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
86.25	3.396	TOYOTA	N	ZY	SWT10162-1	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR02	CHROME	
86.25	3.396	TOYOTA	N		SWT10176-4 DELETE	4	1.20	0.047	x	2.90	0.114	BF		SR35	PVD	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	UNIFRON	
86.25	3.396	TOYOTA	N	ZY	SWT10176-1	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.25	3.396	GMC	N	ZZ	SWG10032-1	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	NIF-H		SR34	SOFT NITRIDED	
86.25	3.396	BMW	N		SWE073212-4 DELETE	12	1.20	0.047	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
86.25	3.396	GMC	N	ZY	SWG10019-1 (SWL03215-1)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
86.25	3.396	ISUZU	N	ZZ	SWI10206-1	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.25	3.396	VOLKSWAGEN	N		SWE50958-3 <b>DELETE</b>	8	1.20	0.047	x	3.00	0.118	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
86.25	3.396	GMC	N	ZZ	SWG80049-1	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	GMC	N	ZZ	SWG10016-1 (SWL03137-1)	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	GMC	N	ZY	SWG10016AM-1 (SWL03137AM-1)	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>86.25mm (3.396"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.25	3.396	TOYOTA	N	ZZ	SWT10141-1	4	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.35	0.132	NIF-S		SR34	SOFT NITRIDED	
86.25 <b>NEW</b>	3.396	TOYOTA	N	ZZ	SWT10249-1	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
86.25 <b>NEW</b>	3.396	TOYOTA	N	ZZ	SWT10255-1	4	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>86.25mm (3.396"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.25	3.396	NISSAN	N	ZZ	SWN30091-1	6	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.25mm (3.396"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.25	3.396	CHRYSLER	S	ZZ	SWC10001-1 (SWL03042-1)	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.25	3.396	GMC	N	ZZ	SWG10010-1 (SWL03123-1)	4	1.50	0.059	x	3.25	0.128	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	GMC	N	ZY	SWG10010AM-1 (SWL03123AM-1)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.05	0.120	NIF-S		SR02	CHROME	
86.25	3.396	DAEWOO	N	ZZ	SWD20006-1 (SWL03180-1)	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.25	3.396	NISSAN	N	ZZ	SWN30102-1	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.25	3.396	ISUZU	N	ZX	SWI10205-1	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.25mm (3.396"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.25	3.396	KIA	N	ZZ	SWK30022-1	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
86.25	3.396	NISSAN	N	ZZ	SWN30159-1	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	NISSAN	N		SWN30470-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-H		SR34	SOFT NITRIDED	
86.25 <b>NEW</b>	3.396	NISSAN	N	ZZ	SWN30202-1	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	MAZDA	S	ZZ	SWT20048-1	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.25	3.396	MAZDA	S	ZZ	SWT20065-1	4	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.25	3.396	TOYOTA	S	ZY	SWT10090-1	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.25	3.396	TOYOTA	S		SWT10449-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
86.25	3.396	TOYOTA	N	ZZ	SWT10134-1	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
86.25	3.396	TOYOTA	N	ZZ	SWT10216-1	6	1.50	0.059	x	3.25	0.128	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.25mm (3.396"): 1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.25	3.396	NISSAN	N	ZZ	SWN30072-1	6	1.50	0.059	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							2.00	0.079	x	3.75	0.148	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.25	3.396	NISSAN	N	ZZ	SWN30066-1	6	1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.25mm (3.396"): 1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")</b>															
86.25	3.396	TOYOTA	N	ZZ	SWT10125-1	4	1.75	0.069	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.05	0.120	TUC	CR02	CHROME	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.25mm (3.396"): 1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.25	3.396	BMW	N		SWE07096-1 DELETE	6	1.75	0.069	x	3.20	0.126	BF-IB	SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC	CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S	SR02	CHROME	
<b>86.25mm (3.396"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.25	3.396	NISSAN	N	ZZ	SWN30047-1	6	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.25mm (3.396"): 2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>															
86.25	3.396	TOYOTA	N	ZZ	SWT10019-1	4	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.50	0.098	x	3.90	0.154	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.25mm (3.396"): 2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>															
86.25	3.396	ISUZU	N	ZZ	SCI10021-1	4	2.50	0.098	x	4.10	0.161	T1	CR02	UNIFRON	
							2.50	0.098	x	4.10	0.161	ES-TUC	CR02	UNIFRON	
							5.00	0.197	x	4.10	0.161	BC3	CR02	UNIFRON	
<b>86.36mm (3.400"): 1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")</b>															
86.36	3.400	CHRYSLER	S	ZZ	SWC10017-0	6	1.98	0.078	x	4.00	0.157	BF	CR02	CHROME	
							1.98	0.078	x	4.00	0.157	T1-IB	CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S	SR02	CHROME	
<b>86.40mm (3.402"): 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
86.40	3.402	BMW	N		SWE07346-0 DELETE	6	1.20	0.047	x	3.30	0.130	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	TUC	CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S	SR02	CHROME	
<b>86.44mm (3.403"): 2.50mm (0.098") x 2.50mm (0.098") x 4.76mm (0.187")</b>															
86.44	3.403	NISSAN	N	ZZ	SWN30022-3	6	2.50	0.098	x	3.70	0.146	T1	CR02	UNIFRON	
							2.50	0.098	x	3.70	0.146	T1	CR01	FERROX	
							4.76	0.187	x	4.05	0.159	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
86.50	3.406	HI PERFORM	N		21-GNH08650	1	1.00	0.039	x	3.30	0.130	BF	SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH	CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.50mm (3.406"):</b>																
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>																
86.50 NEW	3.406	HI PERFORM	S		21-PVH08650	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
86.50	3.406	TOYOTA	N	ZZ	SDT10185-2	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.50 NEW	3.406	TOYOTA	N	ZZ	SDT10215-2	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.45	0.136	T1		CR01	CHROME	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.50	3.406	HYUNDAI	N	ZZ	SWG30042-2	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.50	3.406	HONDA	S	ZZ	SWH30454-2	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
86.50 NEW	3.406	MITSUBISHI	N	ZZ	SWM31178-2	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.50	3.406	TOYOTA	S	ZZ	SWT10186-2	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>86.50mm (3.406"):</b>																
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>																
86.50	3.406	NISSAN	S	ZZ	SWN30123-2	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>86.50mm (3.406"):</b>																
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>																
86.50	3.406	HONDA	S	ZZ	SWH30432-2	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
86.50	3.406	HONDA	S	ZZ	SWH30443-2	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.50mm (3.406"):</b>																
<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>																
86.50	3.406	TOYOTA	N	ZZ	SWT10162-2	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
86.50	3.406	TOYOTA	N		SWT10176-2 DELETE	4	1.20	0.047	x	2.90	0.114	BF		SR35	PVD	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	UNIFRON	
86.50	3.406	TOYOTA	N	ZY	SWT10176-2	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.50mm (3.406"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.50	3.406	GMC	N	ZZ	SWG10032-2	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	NIF-H		SR34	SOFT NITRIDED	
86.50	3.406	BMW	N	ZZ	SWE073212-2 <b>DELETE</b>	12	1.20	0.047	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.50mm (3.406"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
86.50	3.406	GMC	S	ZY	SWG10019-2 (SWL03215-2)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
86.50	3.406	ISUZU	S	ZZ	SWI10206-2	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.50mm (3.406"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.50	3.406	MITSUBISHI	S	ZZ	SWM31116-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
86.50	3.406	HYUNDAI	N	ZZ	SWG30047-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>86.50mm (3.406"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.50	3.406	VOLKSWAGEN	N	ZZ	SWE50958-4 <b>DELETE</b>	8	1.20	0.047	x	3.00	0.118	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.30	0.130	E-BC16		SR34	SOFT NITRIDED	
86.50	3.406	GMC	S	ZZ	SWG80049-2	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
86.50	3.406	GMC	S	ZZ	SWG10016-2 (SWL03137-2)	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.50	3.406	GMC	S	ZY	SWG10016AM-2 (SWL03137AM-2)	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.50	3.406	MITSUBISHI	S	ZZ	SWM31072-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>86.50mm (3.406"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.50	3.406	TOYOTA	S	ZZ	SWT10141-2	4	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.35	0.132	NIF-S		SR34	SOFT NITRIDED	
NEW 86.50	3.406	TOYOTA	N	ZZ	SWT10249-2	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
NEW 86.50	3.406	TOYOTA	N	ZZ	SWT10255-2	4	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
<b>86.50mm (3.406"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>													
86.50	3.406	NISSAN	N	ZZ	SWN30091-2	6	1.50	0.059	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1	CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
<b>86.50mm (3.406"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>													
86.50	3.406	CHRYSLER	S	ZZ	SWC10001-2 (SWL03042-2)	6	1.50	0.059	x	3.25	0.128	BF	SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC	CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S	SR02	CHROME	
86.50	3.406	HYUNDAI	N	ZZ	SWL03075-0 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC	CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S	SR02	CHROME	
86.50	3.406	GMC	S	ZZ	SWG10010-2 (SWL03123-2)	4	1.50	0.059	x	3.25	0.128	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC	CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S	SR34	SOFT NITRIDED	
86.50	3.406	GMC	S	ZY	SWG10010AM-2 (SWL03123AM-2)	4	1.50	0.059	x	3.30	0.130	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC	CR01	FERROX	
							3.00	0.118	x	3.05	0.120	NIF-S	SR02	CHROME	
86.50	3.406	DAEWOO	N	ZZ	SWD20006-2 (SWL03180-2)	4	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC	CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S	SR02	CHROME	
86.50	3.406	NISSAN	S	ZZ	SWN30102-2	4	1.50	0.059	x	3.10	0.122	BF-IB	SR10	CHROME	
							1.50	0.059	x	3.65	0.144	T1	CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S	SR02	CHROME	
86.50	3.406	ISUZU	N	ZX	SWI10205-2	4	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC	CR01	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>													
86.50	3.406	KIA	N	ZZ	SWK30022-2	4	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC	CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S	SR02	CHROME	
86.50	3.406	HYUNDAI	N	ZZ	SWG30024-0 (SWL03076-0)	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.50	3.406	NISSAN	N	ZZ	SWN30159-2	4	1.50	0.059	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1	CR02	CHROME	
							4.00	0.157	x	2.90	0.114	NIF-S	SR34	SOFT NITRIDED	
86.50	3.406	NISSAN	N	ZZ	SWN30170-2 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1	CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-H	SR34	SOFT NITRIDED	
86.50 <b>NEW</b>	3.406	NISSAN	N	ZZ	SWN30202-2	4	1.50	0.059	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR34	SOFT NITRIDED	
86.50	3.406	MAZDA	S	ZZ	SWT20048-2	4	1.50	0.059	x	3.30	0.130	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.50	3.406	MAZDA	S	ZZ	SWT20065-2	4	1.50	0.059	x	3.10	0.122	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
86.50	3.406	MITSUBISHI	S	ZZ	SWM31037-0	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
86.50	3.406	MITSUBISHI	S		SWM31045-0 DELETE	4	1.50	0.059	x	3.30	0.130	BF	SR34	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC	CR01	FERROX	
							4.00	0.157	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
86.50	3.406	TOYOTA	S	ZY	SWT10090-2	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.50	3.406	TOYOTA	S		SWT10149-2 DELETE	4	1.50	0.059	x	3.30	0.130	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S	SR02	CHROME	
86.50	3.406	TOYOTA	S	ZZ	SWT10134-2	6	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC	CR02	CHROME	
							4.00	0.157	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
86.50	3.406	TOYOTA	N	ZZ	SWT10216-2	6	1.50	0.059	x	3.25	0.128	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.50mm (3.406"): 1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.50	3.406	NISSAN	N	ZZ	SWN30072-2	6	1.50	0.059	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							2.00	0.079	x	3.75	0.148	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
86.50	3.406	NISSAN	S	ZZ	SWN30066-2	6	1.50	0.059	x	3.60	0.142	T1	CR01	FERROX	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"): 1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")</b>															
86.50	3.406	TOYOTA	N	ZZ	SWT10125-2	4	1.75	0.069	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.05	0.120	TUC	CR02	CHROME	
							4.00	0.157	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
<b>86.50mm (3.406"): 1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.50	3.406	BMW	N		SWE07096-2 DELETE	6	1.75	0.069	x	3.20	0.126	BF-IB	SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC	CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
86.50	3.406	NISSAN	S	ZZ	SWN30047-2	6	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1	CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"): 2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>															
86.50	3.406	TOYOTA	S	ZZ	SWT10019-2	4	2.00	0.079	x	3.90	0.154	T1	CR02	CHROME	
							2.50	0.098	x	3.90	0.154	T1	CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S	SR02	CHROME	
<b>86.50mm (3.406"): 2.00mm (0.079") x 2.50mm (0.098") x 5.00mm (0.197")</b>															
86.50	3.406	VOLKSWAGEN	N		SWE50274-0 DELETE	4	2.00	0.079	x	3.25	0.128	BF-IB	SR10	CHROME	
							2.50	0.098	x	3.60	0.142	TUC	CR01	FERROX	
							5.00	0.197	x	4.30	0.169	E-BC16	SR10	CHROME	
<b>86.50mm (3.406"): 2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>															
86.50	3.406	ISUZU	N	ZZ	SCH10021-2	4	2.50	0.098	x	4.10	0.161	T1	CR02	UNIFRON	
							2.50	0.098	x	4.10	0.161	ES-TUC	CR02	UNIFRON	
							5.00	0.197	x	4.10	0.161	BC3	CR02	UNIFRON	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.61mm (3.410"):</b>		<b>1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")</b>														
86.61	3.410	CHRYSLER	N	ZZ	SWC10017-1	6	1.98	0.078	x	4.00	0.157	BF		CR02	CHROME	
							1.98	0.078	x	4.00	0.157	T1-IB		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
<b>86.65mm (3.411"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.65	3.411	BMW	N		SWE07316-4 <b>DELETE</b>	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.69mm (3.413"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 4.76mm (0.187")</b>														
86.69	3.413	NISSAN	N	ZZ	SWN30022-4	6	2.50	0.098	x	3.70	0.146	T1		CR02	UNIFRON	
							2.50	0.098	x	3.70	0.146	T1		CR01	FERROX	
							4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
<b>86.70mm (3.413"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.70	3.413	HYUNDAI	N	ZZ	SWG30045-0	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.00	0.118	T1		CR01	FERROX	
							2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
<b>86.70mm (3.413"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
86.70	3.413	HYUNDAI	N	ZZ	SWG30037-0	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1		CR01	FERROX	
							2.50	0.098	x	2.55	0.100	NIF-H		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
86.75	3.415	HI PERFORM	N		21-GNH08675	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.75	3.415	TOYOTA	N	ZZ	SDT10185-3	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.75	3.415	TOYOTA	N	ZZ	SDT10215-3	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.45	0.136	T1		CR01	CHROME	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
86.75	3.415	HYUNDAI	N	ZZ	SWG30042-3	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.75	3.415	HONDA	N	ZZ	SWH30454-3	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
86.75	3.415	MITSUBISHI	N	ZZ	SWM31178-3	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
86.75	3.415	TOYOTA	N	ZZ	SWT10186-3	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
86.75	3.415	NISSAN	S	ZZ	SWN30123-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
86.75	3.415	HONDA	N	ZZ	SWH30432-3	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
86.75	3.415	HONDA	N	ZZ	SWH30443-3	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
86.75	3.415	TOYOTA	N	ZY	SWT10162-3	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR02	CHROME	
86.75	3.415	TOYOTA	N		SWT10176-3 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF		SR35	PVD	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	UNIFRON	
86.75	3.415	TOYOTA	N	ZY	SWT10176-3	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.75	3.415	GMC	N	ZZ	SWG10032-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	NIF-H		SR34	SOFT NITRIDED	
86.75	3.415	BMW	N		SWE073212-3 <b>DELETE</b>	12	1.20	0.047	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
86.75	3.415	GMC	S	ZY	SWG10019-3 (SWL03215-3)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
86.75	3.415	ISUZU	N	ZZ	SWI10206-3	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.75	3.415	MITSUBISHI	N	ZZ	SWM31116-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
86.75	3.415	HYUNDAI	N	ZZ	SWG30047-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.75	3.415	GMC	N	ZZ	SWG80049-3	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	GMC	N	ZZ	SWG10016-3 (SWL03137-3)	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	GMC	N	ZY	SWG10016AM-3 (SWL03137AM-3)	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.75	3.415	MITSUBISHI	N	ZZ	SWM31072-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.75	3.415	TOYOTA	N	ZZ	SWT10141-3	4	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.35	0.132	NIF-S		SR34	SOFT NITRIDED	
NEW 86.75	3.415	TOYOTA	N	ZZ	SWT10249-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
NEW 86.75	3.415	TOYOTA	N	ZZ	SWT10255-3	4	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
86.75	3.415	NISSAN	N	ZZ	SWN30091-3	6	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
86.75	3.415	CHRYSLER	N	ZZ	SWC10001-3 (SWL03042-3)	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.75	3.415	HYUNDAI	N	ZZ	SWL03075-4 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
86.75	3.415	GMC	S	ZZ	SWG10010-3 (SWL03123-3)	4	1.50	0.059	x	3.25	0.128	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	GMC	S	ZY	SWG10010AM-3 (SWL03123AM-3)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.05	0.120	NIF-S		SR02	CHROME	
86.75	3.415	DAEWOO	N	ZZ	SWD20006-3 (SWL03180-3)	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.75	3.415	NISSAN	N	ZZ	SWN30102-3	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
86.75	3.415	ISUZU	N	ZX	SWI10205-3	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.75mm (3.415"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.75	3.415	KIA	N	ZZ	SWK30022-3	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
86.75	3.415	HYUNDAI	N	ZZ	SWG30024-1 (SWL03076-1)	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
86.75	3.415	MAZDA	S	ZZ	SWT20048-3	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.75	3.415	MAZDA	N	ZZ	SWT20065-3	4	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	MITSUBISHI	S	ZZ	SWM31037-1	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
86.75	3.415	MITSUBISHI	S		SWM31045-1 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	NISSAN	N	ZZ	SWN30159-3	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	NISSAN	N		SWN30170-3 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-H		SR34	SOFT NITRIDED	
86.75 <b>NEW</b>	3.415	NISSAN	N	ZZ	SWN30202-3	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	TOYOTA	S	ZY	SWT10090-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.75	3.415	TOYOTA	S		SWT10119-3 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
86.75	3.415	TOYOTA	N	ZZ	SWT10134-3	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
86.75	3.415	TOYOTA	N	ZZ	SWT10216-3	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
86.75	3.415	NISSAN	N	ZZ	SWN30072-3	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.75	0.148	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
86.75	3.415	NISSAN	N	ZZ	SWN30066-3	6	1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							2.00	0.079	x	4.05	0.159	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>86.75mm (3.415"):</b>		<b>1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
86.75	3.415	TOYOTA	N	ZZ	SWT10125-3	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.05	0.120	TUC		CR02	CHROME	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>86.75mm (3.415"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
86.75	3.415	BMW	N		SWE07096-3 <b>DELETE</b>	6	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
86.75	3.415	NISSAN	N	ZZ	SWN30047-3	6	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
86.75	3.415	TOYOTA	S	ZZ	SWT10019-3	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.50	0.098	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>86.75mm (3.415"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
86.75	3.415	VOLKSWAGEN	N		SWE50274-4 <b>DELETE</b>	4	2.00	0.079	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.50	0.098	x	3.60	0.142	TUC		CR01	FERROX	
							5.00	0.197	x	4.30	0.169	E-BC16		SR10	CHROME	
<b>86.75mm (3.415"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
86.75	3.415	ISUZU	N	ZZ	SCI10021-3	4	2.50	0.098	x	4.10	0.161	T1		CR02	UNIFRON	
							2.50	0.098	x	4.10	0.161	ES-TUC		CR02	UNIFRON	
							5.00	0.197	x	4.10	0.161	BC3		CR02	UNIFRON	
<b>86.86mm (3.420"):</b>		<b>1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")</b>														
86.86	3.420	CHRYSLER	N	ZZ	SWC10017-2	6	1.98	0.078	x	4.00	0.157	BF		CR02	CHROME	
							1.98	0.078	x	4.00	0.157	T1-IB		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
<b>86.90mm (3.421"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
86.90	3.421	BMW	N		SWE07316-2 <b>DELETE</b>	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>86.95mm (3.423"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
86.95	3.423	HYUNDAI	N	ZZ	SWG30045-1	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.00	0.118	T1		CR01	FERROX	
							2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
<b>86.95mm (3.423"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
86.95	3.423	HYUNDAI	N	ZZ	SWG30037-1	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1		CR01	FERROX	
							2.50	0.098	x	2.55	0.100	NIF-H		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.00	3.425	HI PERFORM	N		21-GRN08700ES	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
87.00	3.425	HI PERFORM	N		21-GNH08700	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	HI PERFORM	N		XC3425	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
87.00	3.425	HI PERFORM	N		XC3425LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.00 NEW	3.425	HI PERFORM	S		21-PVH08700	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	N	ZZ	SDT10185-4	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
87.00 NEW	3.425	TOYOTA	N	ZZ	SDT10215-4	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.45	0.136	T1		CR01	CHROME	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
87.00	3.425	HYUNDAI	N	ZZ	SWG30042-4	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
87.00	3.425	HONDA	N	ZZ	SWH30454-4	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.00	3.425	HONDA	N	ZZ	SWH30466-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.00	3.425	HONDA	N	ZZ	SWH30467-0	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	HONDA	N	ZZ	SWH30488-0	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.00 NEW	3.425	MITSUBISHI	N	ZZ	SWM31178-4	4	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
87.00	3.425	MITSUBISHI	N	ZZ	SWM31161-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	S	ZZ	SWT10186-4	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
87.00 <b>NEW</b>	3.425	HONDA	N		SWH30435-0	1	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1		CR10	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	S	ZZ	SWN30123-4	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
87.00	3.425	HONDA	N	ZZ	SWH30432-4	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
87.00	3.425	HONDA	N	ZZ	SWH30443-4	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
87.00	3.425	HONDA	S	ZZ	SWH30433-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.20	0.126	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
87.00	3.425	TOYOTA	N	ZY	SWT10162-4	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR02	CHROME	
87.00	3.425	TOYOTA	S	ZZ	SWT10166-0	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	N		SWT10171-0 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	N		SWT10176-4 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF		SR35	PVD	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	UNIFRON	
87.00	3.425	TOYOTA	N	ZY	SWT10176-4	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	2.90	0.114	TUC		SR35	GAS NITRIDED	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>														
87.00	3.425	HONDA	S	ZZ	SWH30370-0	6	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1-IB		CR01	FERROX	
							4.00	0.157	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
87.00	3.425	GMC	N	ZZ	SWG10032-4	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	NIF-H		SR34	SOFT NITRIDED	
87.00	3.425	BMW	N		SWE073212-4 <b>DELETE</b>	12	1.20	0.047	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
87.00	3.425	GMC	S	ZY	SWG10019-4 (SWL03215-4)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
87.00	3.425	ISUZU	N	ZZ	SWI10206-4	4	1.20	0.047	x	2.70	0.106	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.00	3.425	MITSUBISHI	S	ZZ	SWM31116-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
87.00	3.425	HYUNDAI	N	ZZ	SWG30047-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.00	3.425	GMC	N	ZZ	SWG80049-4	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	CHRYSLER	S	ZZ	SWG10015-0 (SWL03134-0)	8	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	CHRYSLER	S	ZY	SWG10015AM-0 (SWL03134AM-0)	8	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
87.00	3.425	GMC	N	ZZ	SWG10016-4 (SWL03137-4)	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.50	0.138	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	GMC	N	ZY	SWG10016AM-4 (SWL03137AM-4)	6	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
87.00	3.425	MITSUBISHI	S	ZZ	SWM31072-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.00	3.425	TOYOTA	S	ZZ	SWT10141-4	4	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.35	0.132	NIF-S		SR34	SOFT NITRIDED	
NEW 87.00	3.425	TOYOTA	N	ZZ	SWT10249-4	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
NEW 87.00	3.425	TOYOTA	N	ZZ	SWT10255-4	4	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.00	3.425	NISSAN	N	ZZ	SWN30091-4	6	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	S	ZZ	SWN30058-0	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	S		SWN30408-0 <b>DELETE</b>	6	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR02	CHROME	
87.00	3.425	NISSAN	S		SWN30094-0 <b>DELETE</b>	6	1.50	0.059	x	3.07	0.121	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.00	3.425	CHRYSLER	N	ZZ	SWC10001-4 (SWL03042-4)	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
87.00	3.425	HYUNDAI	N		SWL03075-2 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
87.00	3.425	GMC	S	ZZ	SWG10010-4 (SWL03123-4)	4	1.50	0.059	x	3.25	0.128	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	GMC	S	ZY	SWG10010AM-4 (SWL03123AM-4)	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.05	0.120	NIF-S		SR02	CHROME	
87.00	3.425	GMC	N	ZZ	SWG10017-0	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	DAEWOO	N	ZZ	SWD20006-4 (SWL03180-4)	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
87.00	3.425	NISSAN	N	ZZ	SWN30102-4	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							3.00	0.118	x	3.00	0.118	NIF-S		SR02	CHROME	
87.00	3.425	TOYOTA	S	ZZ	SWT10149-0	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
87.00	3.425	ISUZU	N	ZX	SWI10205-4	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.00	3.425	ISUZU	S	ZZ	SW110096-0	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
87.00	3.425	KIA	N	ZZ	SWK30022-4	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
87.00	3.425	HYUNDAI	N	ZZ	SWG30024-2 (SWL03076-2)	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.00	3.425	MAZDA	S	ZZ	SWT20048-4	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
87.00	3.425	MAZDA	N	ZZ	SWT20065-4	4	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	MITSUBISHI	S	ZZ	SWM31037-2	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.00	3.425	MITSUBISHI	S		SWM31045-2 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	S	ZZ	SWN30054-0	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	N	ZZ	SWN30159-4	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	NISSAN	N		SWN30170-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-H		SR34	SOFT NITRIDED	
87.00 <b>NEW</b>	3.425	NISSAN	N	ZZ	SWN30202-4	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.65	0.144	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	S	ZY	SWT10090-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
87.00	3.425	TOYOTA	S		SWT10119-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
87.00	3.425	TOYOTA	S	ZZ	SWT10133-0	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	S	ZZ	SWT10134-4	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	TUC		CR02	CHROME	
							4.00	0.157	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.00	3.425	TOYOTA	N	ZZ	SWT10216-4	6	1.50	0.059	x	3.25	0.128	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.00mm (3.425"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.00	3.425	NISSAN	N	ZZ	SWN30072-4	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							2.00	0.079	x	3.75	0.148	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
87.00	3.425	NISSAN	N	ZZ	SWN30066-4	6	1.50	0.059	x	3.60	0.142	T1		CR01	FERROX	
							2.00	0.079	x	4.05	0.159	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.00	3.425	TOYOTA	N	ZZ	SWT10125-4	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.05	0.120	TUC		CR02	CHROME	
							4.00	0.157	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>87.00mm (3.425"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.00	3.425	BMW	N		SWE07096-4 DELETE	6	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.00	3.425	NISSAN	S	ZZ	SWN30093-0	6	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.00	3.425	ISUZU	S	ZZ	SWI10084-0	4	2.00	0.079	x	3.80	0.150	BF		CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
87.00	3.425	NISSAN	S	ZZ	SWN30047-4	6	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
87.00	3.425	TOYOTA	S	ZZ	SWT10019-4	4	2.00	0.079	x	3.90	0.154	T1		CR02	CHROME	
							2.50	0.098	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>87.00mm (3.425"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
87.00	3.425	VOLKSWAGEN	N		SWE50274-2 DELETE	4	2.00	0.079	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.50	0.098	x	3.60	0.142	TUC		CR01	FERROX	
							5.00	0.197	x	4.30	0.169	E-BC16		SR10	CHROME	
<b>87.00mm (3.425"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
87.00	3.425	ISUZU	N	ZZ	SCH10021-4	4	2.50	0.098	x	4.10	0.161	T1		CR02	UNIFRON	
							2.50	0.098	x	4.10	0.161	ES-TUC		CR02	UNIFRON	
							5.00	0.197	x	4.10	0.161	BC3		CR02	UNIFRON	
<b>87.11mm (3.430"):</b>		<b>1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")</b>														
87.11	3.430	CHRYSLER	N	ZZ	SWC10017-3	6	1.98	0.078	x	4.00	0.157	BF		CR02	CHROME	
							1.98	0.078	x	4.00	0.157	T1-IB		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
<b>87.15mm (3.431"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
87.15	3.431	BMW	N		SWE07316-3 DELETE	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
<b>87.20mm (3.433"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
87.20	3.433	HYUNDAI	N	ZZ	SWG30045-2	6	1.20	0.047	x	3.05	0.120	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.00	0.118	T1	CR01	FERROX	
							2.00	0.079	x	2.65	0.104	NIF-H	SR34	SOFT NITRIDED	
<b>87.20mm (3.433"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
87.20	3.433	HYUNDAI	N	ZZ	SWG30037-2	6	1.20	0.047	x	3.05	0.120	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1	CR01	FERROX	
							2.50	0.098	x	2.55	0.100	NIF-H	SR02	CHROME	
<b>87.20mm (3.433"):</b> 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
87.20	3.433	NISSAN	N		SWN30024-0 DELETE	4	2.00	0.079	x	4.05	0.159	BF	CR02	CHROME	
							2.00	0.079	x	4.05	0.159	ES-TUC	CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S	SR02	CHROME	
<b>87.20mm (3.433"):</b> 2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")															
87.20	3.433	NISSAN	S		SWN30023-0 DELETE	4	2.00	0.079	x	4.10	0.161	T1	CR02	CHROME	
							2.50	0.098	x	4.10	0.161	T1	CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S	SR34	SOFT NITRIDED	
87.20	3.433	NISSAN	S	ZZ	SWN30069-0	4	2.00	0.079	x	4.05	0.159	BF	CR02	CHROME	
							2.50	0.098	x	4.05	0.159	ES-TUC	CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S	SR02	CHROME	
<b>87.25mm (3.435"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
87.25	3.435	HI PERFORM	N		21-GNH08725	1	1.00	0.039	x	3.30	0.130	BF	SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH	CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	
<b>87.25mm (3.435"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
87.25	3.435	HONDA	N	ZZ	SWH30466-1	4	1.20	0.047	x	3.10	0.122	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H	SR02	CHROME	
87.25	3.435	HONDA	N	ZZ	SWH30467-1	4	1.20	0.047	x	2.70	0.106	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC	CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
87.25	3.435	HONDA	N	ZZ	SWH30488-1	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H	SR02	CHROME	
87.25	3.435	MITSUBISHI	N	ZZ	SWM31161-1	4	1.20	0.047	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							2.00	0.079	x	2.20	0.087	NIF-H	SR34	SOFT NITRIDED	
<b>87.25mm (3.435"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
87.25 NEW	3.435	HONDA	N		SWH30435-1	4	1.20	0.047	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1	CR02	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H	SR34	SOFT NITRIDED	
<b>87.25mm (3.435"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
87.25	3.435	HONDA	N	ZZ	SWH30433-1	4	1.20	0.047	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.20	0.126	TUC	CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S	SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.25mm (3.435"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
87.25	3.435	TOYOTA	N	ZZ	SWT10166-1	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
87.25	3.435	TOYOTA	N	ZZ	SWT10174-4	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
					<b>DELETE</b>		1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
					3.00		0.118	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED		
<b>87.25mm (3.435"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>														
87.25	3.435	HONDA	N	ZZ	SWH30370-1	6	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1-IB		CR01	FERROX	
							4.00	0.157	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.25mm (3.435"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.25	3.435	MITSUBISHI	S	ZZ	SWM31116-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
87.25	3.435	HYUNDAI	N	ZZ	SWG30047-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>87.25mm (3.435"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.25	3.435	MITSUBISHI	N	ZZ	SWM31072-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
87.25	3.435	CHRYSLER	N	ZZ	SWG10015-1	8	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
					(SWL03134-1)		1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
					3.00		0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED		
87.25	3.435	CHRYSLER	N	ZY	SWG10015AM-1	8	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
					(SWL03134AM-1)		1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
					3.00		0.118	x	2.85	0.112	NIF-S		SR02	CHROME		
<b>87.25mm (3.435"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.25	3.435	NISSAN	N	ZZ	SWN30058-1	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.25	3.435	NISSAN	S	ZZ	SWN30108-4	6	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
					<b>DELETE</b>		1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
					2.80		0.110	x	3.05	0.120	NIF-S		SR02	CHROME		
87.25	3.435	NISSAN	N	ZZ	SWN30094-4	6	1.50	0.059	x	3.07	0.121	BF		SR10	CHROME	
					<b>DELETE</b>		1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
					2.80		0.110	x	3.15	0.124	NIF-S		SR02	CHROME		
<b>87.25mm (3.435"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.25	3.435	HYUNDAI	N	ZZ	SWL03075-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
					<b>DELETE</b>		1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
					3.00		0.118	x	2.55	0.100	NIF-S		SR02	CHROME		
87.25	3.435	GMC	N	ZZ	SWG10017-1	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
87.25	3.435	TOYOTA	N	ZZ	SWT10149-1	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.25mm (3.435"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.25	3.435	ISUZU	S	ZZ	SWI10096-1	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
87.25	3.435	HYUNDAI	N	ZZ	SWG30024-3 (SWL03076-3)	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.25	3.435	TOYOTA	N	ZZ	SWT10133-1	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.25	3.435	MITSUBISHI	N	ZZ	SWM31037-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.25	3.435	MITSUBISHI	N	ZZ	SWM31045-3 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.25	3.435	NISSAN	S	ZZ	SWN30054-1	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
<b>87.25mm (3.435"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.25	3.435	NISSAN	N	ZZ	SWN30093-1	6	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.25mm (3.435"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.25	3.435	ISUZU	S	ZZ	SWI10084-1	4	2.00	0.079	x	3.80	0.150	BF		CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>87.25mm (3.435"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
87.25	3.435	VOLKSWAGEN	N	ZZ	SWE50274-3 <b>DELETE</b>	4	2.00	0.079	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.50	0.098	x	3.60	0.142	TUC		CR01	FERROX	
							5.00	0.197	x	4.30	0.169	E-BC16		SR10	CHROME	
<b>87.36mm (3.439"):</b>		<b>1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")</b>														
87.36	3.439	CHRYSLER	N	ZZ	SWC10017-4	6	1.98	0.078	x	4.00	0.157	BF		CR02	CHROME	
							1.98	0.078	x	4.00	0.157	T1-IB		CR01	FERROX	
							4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
<b>87.40mm (3.441"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
87.40	3.441	BMW	N	ZZ	SWE07316-4 <b>DELETE</b>	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>87.45mm (3.443"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.45	3.443	HYUNDAI	N	ZZ	SWG30045-3	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.00	0.118	T1		CR01	FERROX	
							2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
<b>87.45mm (3.443"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
87.45	3.443	HYUNDAI	N	ZZ	SWG30037-3	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1		CR01	FERROX	
							2.50	0.098	x	2.55	0.100	NIF-H		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.45mm (3.443"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.45	3.443	NISSAN	N		SWN30024-1 <b>DELETE</b>	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
<b>87.45mm (3.443"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
87.45	3.443	NISSAN	N		SWN30023-1 <b>DELETE</b>	4	2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
87.45	3.443	NISSAN	S	ZZ	SWN30069-1	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.50	0.098	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
87.50	3.445	HI PERFORM	N		XC3445	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
87.50	3.445	HI PERFORM	N		XC3445LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
87.50	3.445	HI PERFORM	N		21-GNH08750	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.50 <b>NEW</b>	3.445	HI PERFORM	S		21-PVH08750	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
87.50 <b>NEW</b>	3.445	TOYOTA	N	ZZ	SDT10254-0	6	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
87.50 <b>NEW</b>	3.445	FORD	N	ZZ	SWF30023-0	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
87.50	3.445	HONDA	N	ZZ	SWH30466-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.50	3.445	HONDA	N	ZZ	SWH30467-2	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
87.50	3.445	HONDA	N	ZZ	SWH30488-2	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.50	3.445	MITSUBISHI	N	ZZ	SWM31161-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
87.50 <b>NEW</b>	3.445	HONDA	N		SWH30435-2	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1		CR10	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
87.50	3.445	ISUZU	N	ZZ	SWI10220-0	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUC		CR10	FERROX	
							2.50	0.098	x	2.70	0.106	NIF-H		SR02	CHROME	
87.50	3.445	MAZDA	N	ZZ	SWT20089-0	4	1.20	0.047	x	2.85	0.112	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	MAZDA	S	ZZ	SWT20090-0	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
87.50	3.445	HONDA	S	ZZ	SWH30433-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.20	0.126	TUC		CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
87.50	3.445	MITSUBISHI	S	ZZ	SWM31120-0	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
87.50	3.445	TOYOTA	S	ZZ	SWT10166-2	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	TOYOTA	N		SWT40474-2 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							3.00	0.118	x	2.60	0.102	NIF-S		SR20	SOFT NITRIDED	
87.50	3.445	TOYOTA	S	ZZ	SWT10177-0	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.30	0.130	T1		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>														
87.50	3.445	HONDA	S	ZZ	SWH30370-2	6	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1-IB		CR01	FERROX	
							4.00	0.157	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
87.50	3.445	CHRYSLER	S	ZY	SWC10010-0 (SWL03220-0)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.50	3.445	MITSUBISHI	S	ZZ	SWM31116-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
87.50	3.445	HYUNDAI	N	ZZ	SWG30047-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.50mm (3.445"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.50	3.445	CHRYSLER	S	ZZ	SWC10004-0 (SWL03094-0)	4	1.20	0.047	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	CHRYSLER	S	ZY	SWC10004AM-0 (SWL03094AM-0)	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
87.50	3.445	CHRYSLER	S	ZZ	SWG10015-2 (SWL03134-2)	8	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	CHRYSLER	S	ZY	SWG10015AM-2 (SWL03134AM-2)	8	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
87.50	3.445	MITSUBISHI	S	ZZ	SWM31072-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.50	3.445	NISSAN	S	ZZ	SWN30058-2	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	NISSAN	S		SWN30408-2 <b>DELETE</b>	6	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR02	CHROME	
87.50	3.445	NISSAN	S		SWN30094-2 <b>DELETE</b>	6	1.50	0.059	x	3.07	0.121	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.50	3.445	HYUNDAI	N		SWL03075-4 <b>DELETE</b>	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.55	0.100	NIF-S		SR02	CHROME	
87.50	3.445	GMC	N	ZZ	SWG10017-2	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	TOYOTA	S	ZZ	SWT10149-2	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
87.50	3.445	CHRYSLER	S	ZZ	SWC10007-0 (SWL03133-0)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	CHRYSLER	S	ZY	SWC10007AM-0 (SWL03133AM-0)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
87.50	3.445	TOYOTA	S	ZZ	SWT10147-0	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	TOYOTA	S	ZZ	SWT10148-0	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.50mm (3.445"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.50	3.445	ISUZU	S	ZZ	SWI10096-2	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
87.50	3.445	HYUNDAI	N	ZZ	SWG30024-4 (SWL03076-4)	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.50	3.445	TOYOTA	S	ZZ	SWT10133-2	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	MITSUBISHI	S	ZZ	SWM31037-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
87.50	3.445	MITSUBISHI	N	ZZ	SWM31045-4 <b>DELETE</b>	4	1.50	0.059	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	NISSAN	S	ZZ	SWN30054-2	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	CHRYSLER	S	ZZ	SWC10003-0 (SWL03080-0)	4	1.50	0.059	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	CHRYSLER	S	ZY	SWC10003AM-0 (SWL03080AM-0)	4	1.50	0.059	x	3.80	0.150	BF		CR01	FERROX	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
87.50	3.445	TOYOTA	S	ZZ	SWT10144-0	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR02	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.50	3.445	NISSAN	S	ZZ	SWN30093-2	6	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.50	3.445	ISUZU	S	ZZ	SWI10084-2	4	2.00	0.079	x	3.80	0.150	BF		CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>87.50mm (3.445"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
87.50	3.445	VOLKSWAGEN	N	ZZ	SWE50274-4 <b>DELETE</b>	4	2.00	0.079	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.50	0.098	x	3.60	0.142	TUC		CR01	FERROX	
							5.00	0.197	x	4.30	0.169	E-BC16		SR10	CHROME	
<b>87.70mm (3.453"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
87.70	3.453	HI PERFORM	N	ZZ	21-GNH08770	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>87.70mm (3.453"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.70	3.453	HYUNDAI	N	ZZ	SWG30045-4	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.00	0.118	T1		CR01	FERROX	
							2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.70mm (3.453"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
87.70	3.453	HYUNDAI	N	ZZ	SWG30037-4	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	T1		CR01	FERROX	
							2.50	0.098	x	2.55	0.100	NIF-H		SR02	CHROME	
<b>87.70mm (3.453"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.70	3.453	NISSAN	N		SWN30024-2 <b>DELETE</b>	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
<b>87.70mm (3.453"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
87.70	3.453	NISSAN	S		SWN30023-2 <b>DELETE</b>	4	2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
87.70	3.453	NISSAN	S	ZZ	SWN30069-2	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.50	0.098	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
87.75 <b>NEW</b>	3.455	TOYOTA	N	ZZ	SDT10254-1	6	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
87.75 <b>NEW</b>	3.455	FORD	N	ZZ	SWF30023-1	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
87.75	3.455	HONDA	N	ZZ	SWH30466-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.75	3.455	HONDA	N	ZZ	SWH30467-3	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
87.75	3.455	HONDA	N	ZZ	SWH30488-3	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
87.75	3.455	MITSUBISHI	N	ZZ	SWM31161-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
87.75 <b>NEW</b>	3.455	HONDA	N		SWH30435-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1		CR10	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
87.75	3.455	ISUZU	N	ZZ	SWI10220-1	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUC		CR10	FERROX	
							2.50	0.098	x	2.70	0.106	NIF-H		SR02	CHROME	
87.75	3.455	MAZDA	N	ZZ	SWT20089-1	4	1.20	0.047	x	2.85	0.112	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	MAZDA	N	ZZ	SWT20090-1	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
87.75	3.455	HONDA	N	ZZ	SWH30433-3	4	1.20	0.047	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.20	0.126	TUC	CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S	SR34	SOFT NITRIDED	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>													
87.75	3.455	MITSUBISHI	N	ZZ	SWM31120-1	4	1.20	0.047	x	3.45	0.136	BF	SR10	CHROME	
							1.20	0.047	x	4.00	0.157	T1	CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S	SR02	CHROME	
87.75	3.455	TOYOTA	N	ZZ	SWT10166-3	4	1.20	0.047	x	2.90	0.114	BF	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S	SR34	SOFT NITRIDED	
87.75	3.455	TOYOTA	N	ZZ	SWT10171-3 <b>DELETE</b>	4	1.20	0.047	x	2.90	0.114	BF	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							3.00	0.118	x	2.60	0.102	NIF-S	SR34	SOFT NITRIDED	
87.75	3.455	TOYOTA	N	ZZ	SWT10177-1	6	1.20	0.047	x	2.90	0.114	BF	SR35	GAS NITRIDED	
							1.20	0.047	x	3.30	0.130	T1	CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>													
87.75	3.455	CHRYSLER	N	ZY	SWC10010-1 (SWL03220-1)	4	1.20	0.047	x	2.90	0.114	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>													
87.75	3.455	CHRYSLER	N	ZZ	SWC10004-1 (SWL03094-1)	4	1.20	0.047	x	3.45	0.136	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1-RC	CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S	SR34	SOFT NITRIDED	
87.75	3.455	CHRYSLER	S	ZY	SWC10004AM-1 (SWL03094AM-1)	4	1.20	0.047	x	3.45	0.136	BF	SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC	CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S	SR02	CHROME	
87.75	3.455	CHRYSLER	N	ZZ	SWG10015-3 (SWL03134-3)	8	1.20	0.047	x	2.90	0.114	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC	CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
87.75	3.455	CHRYSLER	N	ZY	SWG10015AM-3 (SWL03134AM-3)	8	1.20	0.047	x	2.90	0.114	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC	CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S	SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>													
87.75	3.455	HONDA	N	ZZ	SWH30370-3	6	1.20	0.047	x	3.10	0.122	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1-IB	CR01	FERROX	
							4.00	0.157	x	3.15	0.124	NIF-S	SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>													
87.75	3.455	NISSAN	S	ZZ	SWN30058-3	6	1.50	0.059	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
87.75	3.455	NISSAN	S	ZZ	SWN30108-3 <b>DELETE</b>	6	1.50	0.059	x	3.10	0.122	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S	SR02	CHROME	
87.75	3.455	NISSAN	N	ZZ	SWN30094-3 <b>DELETE</b>	6	1.50	0.059	x	3.07	0.121	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.75mm (3.455"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.75	3.455	GMC	N	ZZ	SWG10017-3	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	TOYOTA	N	ZZ	SWT10149-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
87.75	3.455	CHRYSLER	N	ZZ	SWC10007-1 (SWL03133-1)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	CHRYSLER	N	ZY	SWC10007AM-1 (SWL03133AM-1)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
87.75	3.455	TOYOTA	N	ZZ	SWT10147-1	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	TOYOTA	N	ZZ	SWT10148-1	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
87.75	3.455	ISUZU	S	ZZ	SWI10096-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
87.75	3.455	TOYOTA	N	ZZ	SWT10133-3	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	NISSAN	S	ZZ	SWN30054-3	4	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	CHRYSLER	N	ZZ	SWC10003-1 (SWL03080-1)	4	1.50	0.059	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	CHRYSLER	S	ZY	SWC10003AM-1 (SWL03080AM-1)	4	1.50	0.059	x	3.80	0.150	BF		CR01	FERROX	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
87.75	3.455	TOYOTA	S	ZZ	SWT10144-1	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR02	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
87.75	3.455	NISSAN	N	ZZ	SWN30093-3	6	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.75mm (3.455"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.75	3.455	ISUZU	S	ZZ	SWI10084-3	4	2.00	0.079	x	3.80	0.150	BF		CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>87.90mm (3.461"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
87.90	3.461	SUBARU	S	ZZ	SWF20043-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	ES-TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>87.95mm (3.463"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
87.95	3.463	NISSAN	N		SWN30024-3 DELETE	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
<b>87.95mm (3.463"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
87.95	3.463	NISSAN	N		SWN30023-3 DELETE	4	2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
87.95	3.463	NISSAN	N	ZZ	SWN30069-3	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.50	0.098	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>88.00mm (3.465"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.00	3.465	HI PERFORM	N		21-GRN08800ES	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
<b>88.00mm (3.465"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
88.00	3.465	HI PERFORM	N		XC3465	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
88.00	3.465	HI PERFORM	N		XC3465LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
88.00	3.465	HI PERFORM	N		21-GNH08800	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>88.00mm (3.465"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.00 NEW	3.465	HI PERFORM	S		21-PVH08800	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
88.00 NEW	3.465	TOYOTA	N	ZZ	SDT10254-2	6	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.00 NEW	3.465	FORD	N	ZZ	SWF30023-2	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
88.00	3.465	HYUNDAI	N	ZZ	SWG30041-0	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.00	3.465	HONDA	N	ZZ	SWH30466-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME	
88.00	3.465	HONDA	N	ZZ	SWH30467-4	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
88.00	3.465	HONDA	N	ZZ	SWH30488-4	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H	SR02	CHROME	
88.00	3.465	MITSUBISHI	N	ZZ	SWM31161-4	4	1.20	0.047	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							2.00	0.079	x	2.20	0.087	NIF-H	SR34	SOFT NITRIDED	
88.00 NEW	3.465	MITSUBISHI	N	ZZ	SWM31173-0	4	1.20	0.047	x	3.05	0.120	BF-IB	SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC	CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H	SR02	CHROME	
<b>88.00mm (3.465"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
88.00 NEW	3.465	HONDA	N	ZZ	SWH30435-4	4	1.20	0.047	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	T1	CR10	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H	SR34	SOFT NITRIDED	
88.00	3.465	ISUZU	N	ZZ	SW110220-2	4	1.20	0.047	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUC	CR10	FERROX	
							2.50	0.098	x	2.70	0.106	NIF-H	SR02	CHROME	
88.00	3.465	MAZDA	N	ZZ	SWT20089-2	4	1.20	0.047	x	2.85	0.112	BF	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR10	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	MAZDA	N	ZZ	SWT20090-2	4	1.20	0.047	x	2.70	0.106	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC	CR10	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S	SR34	SOFT NITRIDED	
<b>88.00mm (3.465"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
88.00	3.465	HONDA	S	ZZ	SWH30433-4	4	1.20	0.047	x	3.10	0.122	BF-IB	SR35	GAS NITRIDED	
							1.20	0.047	x	3.20	0.126	TUC	CR02	CHROME	
							2.80	0.110	x	2.55	0.100	NIF-S	SR34	SOFT NITRIDED	
<b>88.00mm (3.465"): 1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>															
88.00	3.465	MITSUBISHI	S	ZZ	SWM31120-2	4	1.20	0.047	x	3.45	0.136	BF	SR10	CHROME	
							1.20	0.047	x	4.00	0.157	T1	CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S	SR02	CHROME	
88.00	3.465	TOYOTA	S	ZZ	SWT10166-4	4	1.20	0.047	x	2.90	0.114	BF	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							3.00	0.118	x	2.75	0.108	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	TOYOTA	N	ZZ	SWT10171-4 DELETE	4	1.20	0.047	x	2.90	0.114	BF	SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
							3.00	0.118	x	2.60	0.102	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	TOYOTA	S	ZZ	SWT10177-2	6	1.20	0.047	x	2.90	0.114	BF	SR35	GAS NITRIDED	
							1.20	0.047	x	3.30	0.130	T1	CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
<b>88.00mm (3.465"): 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
88.00 NEW	3.465	GMC	N	ZZ	SWG10048-0	4	1.20	0.047	x	2.90	0.114	BF-IB	SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC	CR02	CHROME	
							2.00	0.079	x	2.45	0.096	NIF-H	SR02	CHROME	
<b>88.00mm (3.465"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>															
88.00	3.465	CHRYSLER	S	ZY	SWC10010-2 (SWL03220-2)	4	1.20	0.047	x	2.90	0.114	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.00mm (3.465"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
88.00	3.465	SUZUKI	N	ZZ	SWS20210-0	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>88.00mm (3.465"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.00	3.465	CHRYSLER	S	ZZ	SWC10004-2 (SWL03094-2)	4	1.20	0.047	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.00	3.465	CHRYSLER	S	ZY	SWC10004AM-2 (SWL03094AM-2)	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
88.00	3.465	CHRYSLER	N	ZZ	SWG10015-4 (SWL03134-4)	8	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
88.00	3.465	CHRYSLER	N	ZY	SWG10015AM-4 (SWL03134AM-4)	8	1.20	0.047	x	2.90	0.114	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>88.00mm (3.465"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 4.00mm (0.157")</b>														
88.00	3.465	HONDA	N	ZZ	SWH30370-4	6	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.50	0.138	T1-IB		CR01	FERROX	
							4.00	0.157	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>88.00mm (3.465"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
88.00	3.465	NISSAN	S	ZZ	SWN30058-4	6	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
88.00	3.465	NISSAN	S		SWN30108-4 <b>DELETE</b>	6	1.50	0.059	x	3.10	0.122	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.05	0.120	NIF-S		SR02	CHROME	
88.00	3.465	NISSAN	S		SWN30094-4 <b>DELETE</b>	6	1.50	0.059	x	3.07	0.121	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>88.00mm (3.465"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.00	3.465	GMC	N	ZZ	SWG10017-4	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
88.00	3.465	TOYOTA	S	ZZ	SWT10149-4	4	1.50	0.059	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1		CR02	CHROME	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
88.00	3.465	CHRYSLER	S	ZZ	SWC10007-2 (SWL03133-2)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.00	3.465	CHRYSLER	S	ZY	SWC10007AM-2 (SWL03133AM-2)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
88.00	3.465	TOYOTA	S	ZZ	SWT10147-2	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch						mm	inch	x	mm	inch				
88.00	3.465	TOYOTA	S	ZZ	SWT10148-2	6	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1	CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S	SR02	CHROME	
<b>88.00mm (3.465"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>															
88.00	3.465	ISUZU	S	ZZ	SW110096-4	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							4.00	0.157	x	3.35	0.132	NIF-S	SR02	CHROME	
88.00	3.465	TOYOTA	S	ZZ	SWT10133-4	4	1.50	0.059	x	3.50	0.138	BF	SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1	CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	ISUZU	S	ZZ	SW110133-0	4	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
88.00	3.465	NISSAN	S	ZZ	SWN30054-4	4	1.50	0.059	x	3.10	0.122	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	CHRYSLER	S	ZZ	SWC10003-2 (SWL03080-2)	4	1.50	0.059	x	3.80	0.150	BF	SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	CHRYSLER	S	ZY	SWC10003AM-2 (SWL03080AM-2)	4	1.50	0.059	x	3.80	0.150	BF	CR01	FERROX	
							1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	TOYOTA	S	ZZ	SWT10144-2	6	1.50	0.059	x	3.30	0.130	BF	SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC	CR02	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S	SR02	CHROME	
<b>88.00mm (3.465"): 1.50mm (0.059") x 1.75mm (0.069") x 2.50mm (0.098")</b>															
88.00	3.465	BENZ	N		SWE12596-0 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB	SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC	CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S	SR34	SOFT NITRIDED	
88.00	3.465	BENZ	N		SWE12656-0 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB	SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC	CR01	FERROX	
							2.50	0.098	x	3.00	0.118	NIF-S	SR34	SOFT NITRIDED	
<b>88.00mm (3.465"): 1.50mm (0.059") x 2.00mm (0.079") x 3.50mm (0.138")</b>															
88.00	3.465	BENZ	N		SWE10518-0 <b>DELETE</b>	8	1.50	0.059	x	3.20	0.126	BF-IB	SR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1	CR01	FERROX	
							3.50	0.138	x	3.60	0.142	E-BC16	SR10	CHROME	
<b>88.00mm (3.465"): 2.00mm (0.079") x 1.50mm (0.058") x 2.80mm (0.110")</b>															
88.00	3.465	NISSAN	S	ZZ	SWN30093-4	6	2.00	0.079	x	3.10	0.122	BF-IB	SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
							2.80	0.110	x	3.10	0.122	NIF-S	SR02	CHROME	
<b>88.00mm (3.465"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
88.00	3.465	ISUZU	S	ZZ	SW110084-4	4	2.00	0.079	x	3.80	0.150	BF	CR02	CHROME	
							2.00	0.079	x	3.80	0.150	T1	CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S	SR02	CHROME	
88.00	3.465	MITSUBISHI	N	ZZ	SWM31021-0	4	2.00	0.079	x	3.80	0.150	BF	CR10	CHROME	
							2.00	0.079	x	4.10	0.161	T1	CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.00mm (3.465"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
88.00	3.465	TOYOTA	S	ZY	SWT10069-0	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.00	3.465	TOYOTA	N		SXT10069-0 DELETE	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>88.00mm (3.465"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
88.00	3.465	TOYOTA	N	ZZ	SWT10022-0	4	2.50	0.098	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	TUC		CR02	CHROME	
							5.00	0.197	x	4.05	0.159	BC3		SR02	CHROME	
<b>88.15mm (3.470"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.15	3.470	SUBARU	S	ZZ	SWF20043-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	ES-TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>88.20mm (3.472"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
88.20	3.472	NISSAN	N		SWN30024-4 DELETE	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR02	CHROME	
<b>88.20mm (3.472"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
88.20	3.472	NISSAN	N		SWN30023-4 DELETE	4	2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
88.20	3.472	NISSAN	S	ZZ	SWN30069-4	4	2.00	0.079	x	4.05	0.159	BF		CR02	CHROME	
							2.50	0.098	x	4.05	0.159	ES-TUC		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.25 NEW	3.474	TOYOTA	N	ZZ	SDT10254-3	6	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.25 NEW	3.474	FORD	N	ZZ	SWF30023-3	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
88.25	3.474	HYUNDAI	N	ZZ	SWG30041-1	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.25	3.474	MITSUBISHI	N	ZZ	SWM31173-1	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
88.25	3.474	ISUZU	N	ZZ	SWI10220-3	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUC		CR10	FERROX	
							2.50	0.098	x	2.70	0.106	NIF-H		SR02	CHROME	
88.25	3.474	MAZDA	N	ZZ	SWT20089-3	4	1.20	0.047	x	2.85	0.112	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	MAZDA	N	ZZ	SWT20090-3	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
88.25	3.474	MITSUBISHI	N	ZZ	SWM31120-3	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
88.25	3.474	TOYOTA	N	ZZ	SWT10177-3	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.30	0.130	T1		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
88.25 <b>NEW</b>	3.474	GMC	N	ZZ	SWG10048-1	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR02	CHROME	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
88.25	3.474	CHRYSLER	S	ZY	SWC10010-3 (SWL03220-3)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
88.25	3.474	SUZUKI	N	ZZ	SWS20210-1	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>88.25mm (3.474"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.25	3.474	CHRYSLER	S	ZZ	SWC10004-3 (SWL03094-3)	4	1.20	0.047	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	CHRYSLER	S	ZY	SWC10004AM-3 (SWL03094AM-3)	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.25	3.474	CHRYSLER	S	ZZ	SWC10007-3 (SWL03133-3)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	CHRYSLER	S	ZY	SWC10007AM-3 (SWL03133AM-3)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
88.25	3.474	TOYOTA	N	ZZ	SWT10147-3	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	TOYOTA	S	ZZ	SWT10148-3	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.25mm (3.474"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
88.25	3.474	ISUZU	N	ZZ	SWI10133-1	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.25	3.474	CHRYSLER	S	ZZ	SWC10003-3 (SWL03080-3)	4	1.50	0.059	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	CHRYSLER	S	ZY	SWC10003AM-3 (SWL03080AM-3)	4	1.50	0.059	x	3.80	0.150	BF		CR01	FERROX	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	TOYOTA	S	ZZ	SWT10144-3	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR02	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 2.50mm (0.098")</b>														
88.25	3.474	BENZ	N		SWE12596-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
88.25	3.474	BENZ	N		SWE12656-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
<b>88.25mm (3.474"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
88.25	3.474	BENZ	N		SWE10548-4 <b>DELETE</b>	8	1.50	0.059	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							3.50	0.138	x	3.60	0.142	E-BC16		SR10	CHROME	
<b>88.25mm (3.474"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
88.25	3.474	MITSUBISHI	N	ZZ	SWM31021-1	4	2.00	0.079	x	3.80	0.150	BF		CR10	CHROME	
							2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>88.25mm (3.474"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
88.25	3.474	TOYOTA	S	ZY	SWT10069-1	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.25	3.474	TOYOTA	N		SXT10069-4 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.25	3.474	TOYOTA	N	ZZ	SWT10022-1	4	2.50	0.098	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	TUC		CR02	CHROME	
							5.00	0.197	x	4.05	0.159	BC3		SR02	CHROME	
<b>88.40mm (3.480"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.40	3.480	SUBARU	S	ZZ	SWF20043-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	ES-TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.50 <b>NEW</b>	3.484	TOYOTA	N	ZZ	SDT10200-0	4	1.20	0.047	x	2.70	0.106	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.50 <b>NEW</b>	3.484	TOYOTA	N	ZZ	SDT10226-0	4	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.50mm (3.484"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
88.50	3.484	HI PERFORM	N		XC3484	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
88.50	3.484	HI PERFORM	N		XC3484LG	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.70	0.146	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
88.50	3.484	HI PERFORM	N		21-GNH08850	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.50 NEW	3.484	TOYOTA	N	ZZ	SDT10254-4	6	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.50 NEW	3.484	TOYOTA	N	ZZ	SDT10172-0	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.50 NEW	3.484	FORD	N	ZZ	SWF30023-4	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	CHROME	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
88.50	3.484	HYUNDAI	N	ZZ	SWG30041-2	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.50 NEW	3.484	MITSUBISHI	N	ZZ	SWM31173-2	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.50	3.484	TOYOTA	S	ZZ	SWT10182-0	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.20	0.126	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
88.50	3.484	ISUZU	N	ZZ	SWI10220-4	4	1.20	0.047	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUC		CR10	FERROX	
							2.50	0.098	x	2.70	0.106	NIF-H		SR02	CHROME	
88.50	3.484	MAZDA	N	ZZ	SWT20089-4	4	1.20	0.047	x	2.85	0.112	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	MAZDA	N	ZZ	SWT20090-4	4	1.20	0.047	x	2.70	0.106	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.40	0.134	TUC		CR10	FERROX	
							2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")</b>														
88.50	3.484	MITSUBISHI	S	ZZ	SWM31120-4	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.20	0.047	x	4.00	0.157	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
88.50	3.484	TOYOTA	N	ZZ	SWT10177-4	6	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.20	0.047	x	3.30	0.130	T1		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
88.50 NEW	3.484	GMC	N	ZZ	SWG10048-2	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR02	CHROME	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
88.50	3.484	CHRYSLER	S	ZY	SWC10010-4 (SWL03220-4)	4	1.20	0.047	x	2.90	0.114	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
88.50	3.484	SUZUKI	N	ZZ	SWS20210-2	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>88.50mm (3.484"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.50	3.484	CHRYSLER	S	ZZ	SWC10004-4 (SWL03094-4)	4	1.20	0.047	x	3.45	0.136	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	CHRYSLER	S	ZY	SWC10004AM-4 (SWL03094AM-4)	4	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.50	3.484	CHRYSLER	S	ZZ	SWC10007-4 (SWL03133-4)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	CHRYSLER	S	ZY	SWC10007AM-4 (SWL03133AM-4)	4	1.50	0.059	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
88.50	3.484	TOYOTA	N	ZZ	SWT10147-4	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	ES-TUC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	TOYOTA	S	ZZ	SWT10148-4	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							3.00	0.118	x	2.90	0.114	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
88.50	3.484	ISUZU	S	ZZ	SWI10133-2	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.50	3.484	CHRYSLER	S	ZZ	SWC10003-4 (SWL03080-4)	4	1.50	0.059	x	3.80	0.150	BF		SR10	CHROME	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	CHRYSLER	S	ZY	SWC10003AM-4 (SWL03080AM-4)	4	1.50	0.059	x	3.80	0.150	BF		CR01	FERROX	
							1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.80	0.150	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	TOYOTA	S	ZZ	SWT10144-4	6	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.70	0.146	ES-TUC		CR02	FERROX	
							4.00	0.157	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.50mm (3.484"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 2.50mm (0.098")</b>														
88.50	3.484	BENZ	N		SWE12596-2 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
88.50	3.484	BENZ	N		SWE12656-2 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
<b>88.50mm (3.484"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
88.50	3.484	BENZ	N		SWE10496-0 <b>DELETE</b>	6	1.50	0.059	x	3.40	0.134	BF-IB		SR10	CHROME	
							1.75	0.069	x	3.70	0.146	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR10	CHROME	
<b>88.50mm (3.484"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
88.50	3.484	BENZ	N		SWE10518-2 <b>DELETE</b>	8	1.50	0.059	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							3.50	0.138	x	3.60	0.142	E-BC16		SR10	CHROME	
<b>88.50mm (3.484"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
88.50	3.484	MITSUBISHI	N	ZZ	SWM31021-2	4	2.00	0.079	x	3.80	0.150	BF		CR10	CHROME	
							2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
88.50	3.484	TOYOTA	S	ZY	SWT10069-2	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.50	3.484	TOYOTA	N		SXT10069-2 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.50	3.484	TOYOTA	S	ZZ	SJT10043-0	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	ES-TUC		CR02	CHROME	
							4.00	0.157	x	4.10	0.161	E-BC3		CR02	CHROME	
88.50	3.484	TOYOTA	S	ZZ	SWT10043-0	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
88.50	3.484	TOYOTA	N		SXT10043-0 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>88.50mm (3.484"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
88.50	3.484	TOYOTA	N	ZZ	SWT10022-2	4	2.50	0.098	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	TUC		CR02	CHROME	
							5.00	0.197	x	4.05	0.159	BC3		SR02	CHROME	
<b>88.65mm (3.490"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.65	3.490	SUBARU	N	ZZ	SWF20043-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	ES-TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.75mm (3.494"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.75 NEW	3.494	TOYOTA	N	ZZ	SDT10200-1	4	1.20	0.047	x	2.70	0.106	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.75 NEW	3.494	TOYOTA	N	ZZ	SDT10226-1	4	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
<b>88.75mm (3.494"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
88.75 NEW	3.494	TOYOTA	N	ZZ	SDT10172-1	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
88.75	3.494	HYUNDAI	N	ZZ	SWG30041-3	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.75 NEW	3.494	MITSUBISHI	N	ZZ	SWM31173-3	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
88.75	3.494	TOYOTA	N	ZZ	SWT10182-1	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.20	0.126	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>88.75mm (3.494"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
88.75 NEW	3.494	GMC	N	ZZ	SWG10048-3	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR02	CHROME	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>88.75mm (3.494"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
88.75	3.494	SUZUKI	N	ZZ	SWS20210-3	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>88.75mm (3.494"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
88.75	3.494	ISUZU	N	ZZ	SWI10133-3	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>88.75mm (3.494"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 2.50mm (0.098")</b>														
88.75	3.494	BENZ	N		SWE12596-3 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
88.75	3.494	BENZ	N		SWE12656-3 DELETE	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	
<b>88.75mm (3.494"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
88.75	3.494	BENZ	N		SWE10496-4 DELETE	6	1.50	0.059	x	3.40	0.134	BF-IB		SR10	CHROME	
							1.75	0.069	x	3.70	0.146	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR10	CHROME	
<b>88.75mm (3.494"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
88.75	3.494	BENZ	N		SWE10548-3 DELETE	8	1.50	0.059	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							3.50	0.138	x	3.60	0.142	E-BC16		SR10	CHROME	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>88.75mm (3.494"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
88.75	3.494	MITSUBISHI	N	ZZ	SWM31021-3	4	2.00	0.079	x	3.80	0.150	BF		CR10	CHROME	
							2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
<b>88.75mm (3.494"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
88.75	3.494	TOYOTA	N	ZY	SWT10069-3	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.75	3.494	TOYOTA	N		SXT10069-3 DELETE	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
88.75	3.494	TOYOTA	N	ZZ	SJT10043-1	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	ES-TUC		CR02	CHROME	
							4.00	0.157	x	4.10	0.161	E-BC3		CR02	CHROME	
88.75	3.494	TOYOTA	S	ZZ	SWT10043-1	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
88.75	3.494	TOYOTA	N		SXT10043-1 DELETE	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>88.75mm (3.494"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
88.75	3.494	TOYOTA	N	ZZ	SWT10022-3	4	2.50	0.098	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	TUC		CR02	CHROME	
							5.00	0.197	x	4.05	0.159	BC3		SR02	CHROME	
<b>88.90mm (3.500mm):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
88.90	3.500	SUBARU	N	ZZ	SWF20043-4	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	ES-TUC		CR01	FERROX	
							3.00	0.118	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.00 NEW	3.504	HI PERFORM	S		21-PVH08900	1	1.20	0.047	x	2.95	0.116	BF		SR35	GN + PVD	
							1.20	0.047	x	2.90	0.114	TUH		SR08	FERROX	
							2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
89.00 NEW	3.504	TOYOTA	N	ZZ	SDT10200-2	4	1.20	0.047	x	2.70	0.106	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.00 NEW	3.504	TOYOTA	N	ZZ	SDT10226-2	4	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.00	3.504	HI PERFORM	N		21-GRN08900ES	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	ES-TUC		CR01	FERROX	
							2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.00	3.504	HI PERFORM	N		XC3504	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.00	3.504	HI PERFORM	N		21-GNH08900	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.60	0.142	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.00 NEW	3.504	TOYOTA	N	ZZ	SDT10172-2	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.00	3.504	HYUNDAI	N	ZZ	SWG30041-4	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
89.00 NEW	3.504	MITSUBISHI	N	ZZ	SWM31173-4	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	0.10	0.142	TUC		CR01	FERROX	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
89.00	3.504	NISSAN	S	ZY	SWN30189-0	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	
89.00	3.504	TOYOTA	S	ZZ	SWT10182-2	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.20	0.126	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
89.00 NEW	3.504	FORD	S	ZZ	SWF30024-0	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	FERROX	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
89.00 NEW	3.504	NISSAN	S	ZZ	SWN30140-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.00	3.504	NISSAN	S	ZZ	SWN30143-0	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
89.00 NEW	3.504	MAZDA	N	ZZ	SWT20097-0	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	FERROX	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.00	3.504	HONDA	S	ZZ	SWH30438-0	6	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
89.00 NEW	3.504	GMC	N	ZZ	SWG10048-4	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR02	CHROME	
							2.00	0.079	x	2.45	0.096	NIF-H		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
89.00	3.504	HONDA	S	ZZ	SWF30021-0	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.00 NEW	3.504	GMC	N	ZZ	SWG10044-0	6	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.25	0.128	TUC		CR02	CHROME	
							2.00	0.079	x	2.85	0.112	NIF-H		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
89.00	3.504	SUZUKI	N	ZZ	SWS20210-4	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.30	0.130	TUC		CR02	CHROME	
							2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.00mm (3.504"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.00	3.504	GMC	S	ZZ	SWG10004-0 (SWL03093-0)	6	1.20	0.047	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR34	SOFT NITRIDED	
89.00	3.504	GMC	S	ZY	SWG10004AM-0 (SWL03093AM-0)	6	1.20	0.047	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
89.00	3.504	BMW	N		SWE07308-0 <b>DELETE</b>	8	1.50	0.059	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
89.00	3.504	NISSAN	S	ZZ	SWN30096-0	4	1.50	0.059	x	3.27	0.129	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.00	3.504	NISSAN	S		SWN30418-0 <b>DELETE</b>	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.00	3.504	FORD	S	ZZ	SWF30016-0	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.00	3.504	ISUZU	S	ZZ	SWI10195-0	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.00	3.504	MAZDA	S		SWT20086-0 <b>DELETE</b>	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.00	3.504	ISUZU	N	ZZ	SWI10133-4	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR01	FERROX	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
89.00	3.504	ISUZU	S	ZZ	SWI10155-0	6	1.50	0.059	x	3.70	0.146	T1		CR01	FERROX	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.00	3.504	MAZDA	S	ZZ	SWT20075-0	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.00	3.504	NISSAN	S	ZZ	SWN30059-0	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 2.50mm (0.098")</b>														
89.00	3.504	BENZ	N		SWE12596-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
89.00	3.504	BENZ	N		SWE12656-4 <b>DELETE</b>	6	1.50	0.059	x	3.20	0.126	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							2.50	0.098	x	3.00	0.118	NIF-S		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
89.00	3.504	BENZ	N		SWE10496-2 <b>DELETE</b>	6	1.50	0.059	x	3.40	0.134	BF-IB		SR10	CHROME	
							1.75	0.069	x	3.70	0.146	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR10	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.00mm (0.118")</b>														
89.00	3.504	BENZ	N		SWE108012-0 <b>DELETE</b>	12	1.50	0.059	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
89.00	3.504	BENZ	N		SWE10518-4 <b>DELETE</b>	8	1.50	0.059	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.70	0.146	T1		CR01	FERROX	
							3.50	0.138	x	3.60	0.142	E-BC16		SR10	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.76mm (0.187")</b>														
89.00	3.504	ISUZU	N	ZZ	SW110154-0 <b>DELETE</b>	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.90	0.154	NIF-S		SR02	CHROME	
89.00	3.504	GMC	S	ZZ	SWG80038-0 <b>DELETE</b>	6	1.50	0.059	x	3.25	0.128	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
89.00	3.504	GMC	S	ZX	SWL03235-0 (SWG80038-0)	6	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
89.00	3.504	BENZ	N		SWE10384-0 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
							3.50	0.138	x	4.00	0.157	E-BC16		SR10	CHROME	
<b>89.00mm (3.504"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
89.00	3.504	BMW	N		SWE07064-0 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.00	3.504	NISSAN	S	ZZ	SWN30085-0 <b>DELETE</b>	4	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
89.00	3.504	MITSUBISHI	N	ZZ	SWM31021-4 <b>DELETE</b>	4	2.00	0.079	x	3.80	0.150	BF		CR10	CHROME	
							2.00	0.079	x	4.10	0.161	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.00mm (3.504"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
89.00	3.504	TOYOTA	N	ZY	SWT10069-4	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
89.00	3.504	TOYOTA	N		SXT10069-4 DELETE	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
89.00	3.504	TOYOTA	N	ZZ	SJT10043-2	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	ES-TUC		CR02	CHROME	
							4.00	0.157	x	4.10	0.161	E-BC3		CR02	CHROME	
89.00	3.504	TOYOTA	S	ZZ	SWT10043-2	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
89.00	3.504	TOYOTA	N		SXT10043-2 DELETE	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.00mm (3.504"):</b>		<b>2.50mm (0.098") x 2.50mm (0.098") x 5.00mm (0.197")</b>														
89.00	3.504	TOYOTA	N	ZZ	SWT10022-4	4	2.50	0.098	x	4.10	0.161	T1		CR02	CHROME	
							2.50	0.098	x	4.10	0.161	TUC		CR02	CHROME	
							5.00	0.197	x	4.05	0.159	BC3		SR02	CHROME	
<b>89.20mm (3.512"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.20	3.512	HI PERFORM	N		21-GNH08920	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
<b>89.20mm (3.512"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.20	3.512	SUBARU	N	ZZ	SWF20070-0	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.50	0.098	x	2.90	0.114	NIF-H		SR02	CHROME	
89.20	3.512	SUBARU	N	ZZ	SWN30141-0	4	1.20	0.047	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-H		SR02	CHROME	
<b>WARNING!!! : NO OVERSIZE</b>																
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.25 NEW	3.514	TOYOTA	N	ZZ	SDT10200-3	4	1.20	0.047	x	2.70	0.106	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.25 NEW	3.514	TOYOTA	N	ZZ	SDT10226-3	4	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
<b>89.25mm (3.514"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.25	3.514	HI PERFORM	N		XC3514	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.25 <b>NEW</b>	3.514	TOYOTA	N	ZZ	SDT10172-3	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.25	3.514	NISSAN	N	ZY	SWN30189-1	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	
89.25	3.514	TOYOTA	N	ZZ	SWT10182-3	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.20	0.126	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
89.25 <b>NEW</b>	3.514	FORD	S	ZZ	SWF30024-1	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
89.25 <b>NEW</b>	3.514	NISSAN	S	ZZ	SWN30140-1	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.25	3.514	NISSAN	N	ZZ	SWN30143-1	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
89.25 <b>NEW</b>	3.514	FORD	N	ZZ	SWT20097-1	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	FERROX	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.25	3.514	HONDA	N	ZZ	SWH30438-1	6	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
89.25	3.514	HONDA	N	ZZ	SWF30021-1	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.25 <b>NEW</b>	3.514	GMC	N	ZZ	SWG10044-1	6	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.25	0.128	TUC		CR02	CHROME	
							2.00	0.079	x	2.85	0.112	NIF-H		SR34	SOFT NITRIDED	
<b>89.25mm (3.514"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.25	3.514	GMC	N	ZZ	SWG10004-1 (SWL03093-1)	6	1.20	0.047	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR34	SOFT NITRIDED	
89.25	3.514	GMC	S	ZY	SWG10004AM-1 (SWL03093AM-1)	6	1.20	0.047	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
89.25	3.514	BMW	N		SWE07308-4 <b>DELETE</b>	8	1.50	0.059	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
89.25	3.514	NISSAN	N	ZZ	SWN30096-1	4	1.50	0.059	x	3.27	0.129	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.25	3.514	NISSAN	N	ZZ	SWN30418-4 <b>DELETE</b>	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.25	3.514	FORD	N	ZZ	SWF30016-1	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.25	3.514	ISUZU	N	ZZ	SWI10195-1	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.25	3.514	MAZDA	N	ZZ	SWT20086-4 <b>DELETE</b>	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.25	3.514	ISUZU	N	ZZ	SWI10155-1	6	1.50	0.059	x	3.70	0.146	T1		CR01	FERROX	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.25	3.514	MAZDA	N	ZZ	SWT20075-1	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.25	3.514	NISSAN	N	ZZ	SWN30059-1	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
89.25	3.514	BENZ	N	ZZ	SWE40496-3 <b>DELETE</b>	6	1.50	0.059	x	3.40	0.134	BF-IB		SR10	CHROME	
							1.75	0.069	x	3.70	0.146	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR10	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.00mm (0.118")</b>														
89.25	3.514	BENZ	N	ZZ	SWE408042-4 <b>DELETE</b>	12	1.50	0.059	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
<b>89.25mm (3.514"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.76mm (0.187")</b>														
89.25	3.514	ISUZU	N	ZZ	SWI10154-1	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.90	0.154	NIF-S		SR02	CHROME	
89.25	3.514	GMC	N	ZZ	SWG80038-4 <b>DELETE</b>	6	1.50	0.059	x	3.25	0.128	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
89.25	3.514	GMC	N	ZX	SWL03235-1 (SWG80038-1)	6	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
89.25	3.514	BENZ	N	ZZ	SWE40384-4 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
							3.50	0.138	x	4.00	0.157	E-BC16		SR10	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.25mm (3.514"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
89.25	3.514	BMW	N		SWE07064-4 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.25	3.514	NISSAN	S	ZZ	SWN30085-1	4	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.25mm (3.514"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
89.25	3.514	TOYOTA	N	ZZ	SJT10043-3	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	ES-TUC		CR02	CHROME	
							4.00	0.157	x	4.10	0.161	E-BC3		CR02	CHROME	
89.25	3.514	TOYOTA	S	ZZ	SWT10043-3	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
89.25	3.514	TOYOTA	N	ZZ	SXT10043-3 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.30mm (3.516")</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.30	3.516	ISUZU	S	ZZ	SWI10123-0	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR10	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
89.30	3.516	ISUZU	S	ZZ	SWI10164-0 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.45mm (3.522"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.45	3.522	SUBARU	N	ZZ	SWF20070-1	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.50	0.098	x	2.90	0.114	NIF-H		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.50 <b>NEW</b>	3.524	TOYOTA	N	ZZ	SDT10200-4	4	1.20	0.047	x	2.70	0.106	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.50 <b>NEW</b>	3.524	TOYOTA	N	ZZ	SDT10226-4	4	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED	
							1.20	0.047	x	2.70	0.106	TUC		SR08	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
<b>89.50mm (3.524"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.50	3.524	HI PERFORM	N		XC3524	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.50	3.524	HI PERFORM	N		21-GNH08950	1	1.00	0.039	x	3.30	0.130	BF		SR34	GAS NITRIDED	
							1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX	
							2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.50 <b>NEW</b>	3.524	TOYOTA	N	ZZ	SDT10172-4	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.10	0.122	TUC		CR01	FERROX	
							2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
89.50	3.524	NISSAN	N	ZY	SWN30189-2	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	
89.50	3.524	TOYOTA	N	ZZ	SWT10182-4	4	1.20	0.047	x	2.70	0.106	BF		SR10	CHROME	
							1.20	0.047	x	3.20	0.126	TUC		CR01	FERROX	
							2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
89.50 <b>NEW</b>	3.524	FORD	S	ZZ	SWF30024-2	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
89.50 <b>NEW</b>	3.524	NISSAN	S	ZZ	SWN30140-2	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.50	3.524	NISSAN	N	ZZ	SWN30143-2	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
89.50 <b>NEW</b>	3.524	FORD	N	ZZ	SWT20097-2	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	FERROX	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.50	3.524	HONDA	N	ZZ	SWH30438-2	6	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
89.50	3.524	HONDA	S	ZZ	SWF30021-2	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.50 <b>NEW</b>	3.524	GMC	N	ZZ	SWG10044-2	6	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.25	0.128	TUC		CR02	CHROME	
							2.00	0.079	x	2.85	0.112	NIF-H		SR34	SOFT NITRIDED	
<b>89.50mm (3.524"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.50	3.524	GMC	S	ZZ	SWG10004-2 (SWL03093-2)	6	1.20	0.047	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR34	SOFT NITRIDED	
89.50	3.524	GMC	S	ZY	SWG10004AM-2 (SWL03093AM-2)	6	1.20	0.047	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
89.50	3.524	BMW	N		SWE07308-2 <b>DELETE</b>	8	1.50	0.059	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
89.50	3.524	NISSAN	S	ZZ	SWN30096-2	4	1.50	0.059	x	3.27	0.129	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.50	3.524	NISSAN	S	ZZ	SWN30418-2 <b>DELETE</b>	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.50	3.524	FORD	N	ZZ	SWF30016-2	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.50	3.524	ISUZU	N	ZZ	SWI10195-2	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.50	3.524	MAZDA	N	ZZ	SWT20086-2 <b>DELETE</b>	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.50	3.524	ISUZU	S	ZZ	SWI10155-2	6	1.50	0.059	x	3.70	0.146	T1		CR01	FERROX	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.50	3.524	MAZDA	N	ZZ	SWT20075-2	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.50	3.524	NISSAN	S	ZZ	SWN30059-2	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
89.50	3.524	BENZ	N	ZZ	SWE40496-4 <b>DELETE</b>	6	1.50	0.059	x	3.40	0.134	BF-IB		SR10	CHROME	
							1.75	0.069	x	3.70	0.146	TUC		CR01	FERROX	
							3.00	0.118	x	3.50	0.138	E-BC16		SR10	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.00mm (0.118")</b>														
89.50	3.524	BENZ	N	ZZ	SWE408042-2 <b>DELETE</b>	12	1.50	0.059	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
<b>89.50mm (3.524"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.76mm (0.187")</b>														
89.50	3.524	ISUZU	N	ZZ	SWI10154-2	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.90	0.154	NIF-S		SR02	CHROME	
89.50	3.524	GMC	N	ZZ	SWG80038-2 <b>DELETE</b>	6	1.50	0.059	x	3.25	0.128	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
89.50	3.524	GMC	S	ZX	SWL03235-2 (SWG80038-2)	6	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
89.50	3.524	BENZ	N	ZZ	SWE40384-2 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
							3.50	0.138	x	4.00	0.157	E-BC16		SR10	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.50mm (3.524"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
89.50	3.524	BMW	N		SWE07064-2 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.50	3.524	NISSAN	S	ZZ	SWN30085-2	4	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.50mm (3.524"):</b>		<b>2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")</b>														
89.50	3.524	TOYOTA	N	ZZ	SJT10043-4	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	ES-TUC		CR02	CHROME	
							4.00	0.157	x	4.10	0.161	E-BC3		CR02	CHROME	
89.50	3.524	TOYOTA	S	ZZ	SWT10043-4	4	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
89.50	3.524	TOYOTA	N		SXT10043-4 <b>DELETE</b>	4	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
							2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
							4.00	0.157	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.55mm (3.526"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.55	3.526	ISUZU	S	ZZ	SWI10123-1	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR10	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
89.55	3.526	ISUZU	S		SWI10161-1 <b>DELETE</b>	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.70mm (3.531"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.70	3.531	SUBARU	N	ZZ	SWF20070-2	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.50	0.098	x	2.90	0.114	NIF-H		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.75	3.533	HI PERFORM	N		XC3534	1	1.00	0.039	x	3.20	0.126	BF		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
89.75	3.533	NISSAN	N	ZY	SWN30189-3	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR01	FERROX	
							2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.75mm (3.533"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
89.75 <b>NEW</b>	3.533	FORD	S	ZZ	SWF30024-3	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	CHROME	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
89.75 <b>NEW</b>	3.533	NISSAN	S	ZZ	SWN30140-3	4	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.75	3.533	NISSAN	N	ZZ	SWN30143-3	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.80	0.150	T1		CR02	CHROME	
							2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
89.75 <b>NEW</b>	3.533	MAZDA	N	ZZ	SWT20097-3	4	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
							1.20	0.047	x	3.80	0.150	TUC		CR02	FERROX	
							2.50	0.098	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>89.75mm (3.533"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.75	3.533	HONDA	N	ZZ	SWH30438-3	6	1.20	0.047	x	3.05	0.120	BF		SR10	CHROME	
							1.20	0.047	x	3.40	0.134	T1		CR01	FERROX	
							2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
89.75	3.533	HONDA	S	ZZ	SWF30021-3	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
							2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
89.75 <b>NEW</b>	3.533	GMC	N	ZZ	SWG10044-3	6	1.20	0.047	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.25	0.128	TUC		CR02	CHROME	
							2.00	0.079	x	2.85	0.112	NIF-H		SR34	SOFT NITRIDED	
<b>89.75mm (3.533"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.75	3.533	GMC	S	ZZ	SWG10004-3 (SWL03093-3)	6	1.20	0.047	x	3.05	0.120	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR34	SOFT NITRIDED	
89.75	3.533	GMC	S	ZY	SWG10004AM-3 (SWL03093AM-3)	6	1.20	0.047	x	3.50	0.138	BF		SR10	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
89.75	3.533	BMW	N		SWE07308-3 <b>DELETE</b>	8	1.50	0.059	x	3.30	0.130	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.50	0.138	TUC		CR01	FERROX	
							2.00	0.079	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
89.75	3.533	NISSAN	N	ZZ	SWN30096-3	4	1.50	0.059	x	3.27	0.129	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
89.75	3.533	NISSAN	S		SWN30118-3 <b>DELETE</b>	4	1.50	0.059	x	3.10	0.122	BF-IB		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item. N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
89.75	3.533	FORD	N	ZZ	SWF30016-3	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.75	3.533	ISUZU	N	ZZ	SWI10195-3	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
89.75	3.533	MAZDA	N		SWT20086-3 <b>DELETE</b>	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
							3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.75	3.533	ISUZU	N	ZZ	SWI10155-3	6	1.50	0.059	x	3.70	0.146	T1		CR01	FERROX	
							1.50	0.059	x	3.60	0.142	T1-RC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.75	3.533	MAZDA	N	ZZ	SWT20075-3	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
							4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
89.75	3.533	NISSAN	S	ZZ	SWN30059-3	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.90	0.154	T1		CR02	CHROME	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 3.00mm (0.118")</b>														
89.75	3.533	BENZ	N		SWE108012-3 <b>DELETE</b>	12	1.50	0.059	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							3.00	0.118	x	3.20	0.126	E-BC16		SR34	SOFT NITRIDED	
<b>89.75mm (3.533"):</b>		<b>1.50mm (0.059") x 2.00mm (0.079") x 4.76mm (0.187")</b>														
89.75	3.533	ISUZU	N	ZZ	SWI10154-3	4	1.50	0.059	x	4.05	0.159	BF		CR02	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.90	0.154	NIF-S		SR02	CHROME	
89.75	3.533	GMC	N		SWG80038-3 <b>DELETE</b>	6	1.50	0.059	x	3.25	0.128	BF-IB		SR35	GAS NITRIDED	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
89.75	3.533	GMC	S	ZX	SWL03235-3 (SWG80038-3)	6	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
							2.00	0.079	x	4.05	0.159	T1-RC		CR01	FERROX	
							4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")</b>														
89.75	3.533	BENZ	N		SWE10384-3 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
							3.50	0.138	x	4.00	0.157	E-BC16		SR10	CHROME	
<b>89.75mm (3.533"):</b>		<b>1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
89.75	3.533	BMW	N		SWE07064-3 <b>DELETE</b>	4	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
							2.00	0.079	x	3.60	0.142	TUC		CR01	FERROX	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.75mm (3.533"):</b>		<b>2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.75	3.533	NISSAN	S	ZZ	SWN30085-3	4	2.00	0.079	x	3.10	0.122	BF-IB		SR10	CHROME	
							1.50	0.059	x	3.90	0.154	T1		CR01	FERROX	
							4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



S = Stock Item.

N = Non Stock Item.

DIA		Maker Name	S or N	T Y P	NPR PART NUMBER	C Y L	B			T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch						mm	inch	x	mm	inch					
<b>89.80mm (3.535"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
89.80	3.535	ISUZU	S	ZZ	SWI10123-2	4	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
							1.50	0.059	x	3.80	0.150	T1		CR10	CHROME	
							4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
89.80	3.535	ISUZU	S		SWE10164-2 DELETE	4	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
							1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
							4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
<b>89.90mm (3.539"):</b>		<b>1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")</b>														
89.90	3.539	BENZ	N		SWE10506-0 DELETE	6	1.50	0.059	x	3.00	0.118	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
89.90	3.539	BENZ	N		SWE10654-0 DELETE	4	1.50	0.059	x	3.00	0.118	BF-IB		SR35	GAS NITRIDED	
							1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
							3.00	0.118	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>89.95mm (3.541"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
89.95	3.541	SUBARU	N	ZZ	SWF20070-3	4	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
							1.20	0.047	x	3.60	0.142	TUC		CR01	FERROX	
							2.50	0.098	x	2.90	0.114	NIF-H		SR02	CHROME	