

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>60.00mm (2.362")</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
60.00	2.362	HI PERFORM		21-GNH06000	1	1.00	0.039	x	2.10	0.083	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUH		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
60.00	2.362	HI PERFORM		XC2362	1	1.00	0.039	x	2.20	0.087	BF		SR10	CHROME	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>60.50mm (2.382")</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
60.50	2.382	HI PERFORM		XC2382	1	1.00	0.039	x	2.20	0.087	BF		SR10	CHROME	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>61.00mm (2.402")</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
61.00	2.402	HI PERFORM		XC2402	1	1.00	0.039	x	2.20	0.087	BF		SR10	CHROME	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>62.00mm (2.441"):</b>		<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
62.00	2.441	HI PERFORM		21-GNH06200	1	1.00	0.039	x	2.10	0.083	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUH		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
<b>62.00mm (2.441"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>													
62.00	2.441	SUZUKI	ZZ	SWS20153-0	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
62.00	2.441	SUZUKI	ZZ	SWS20184-0	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>62.00mm (2.441"):</b>		<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>													
62.00	2.441	DAIHATSU	ZZ	SWD10029-0	3	1.20	0.047	x	2.50	0.098	BF-IB		SR10	CHROME	
						1.50	0.059	x	2.50	0.098	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
62.00	2.441	DAIHATSU	ZZ	SWD10032-0 <b>DELETE</b>	3	1.20	0.047	x	2.30	0.091	BF		SR10	CHROME	
						1.50	0.059	x	2.70	0.106	T1-IC		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>62.00mm (2.441"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>													
62.00	2.441	MITSUBISHI	ZZ	SWM30073-0	2	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.50	0.098	x	3.40	0.134	NIF-S		SR02	CHROME	
<b>62.00mm (2.441"):</b>		<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>													
62.00	2.441	SUZUKI	ZZ	SWS20098-0	4	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
62.00	2.441	SUZUKI	ZZ	SWS20138-0	3	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>62.00mm (2.441"):</b>		<b>1.50mm (0.059") x NONE x 2.80mm (0.110")</b>													
62.00	2.441	SUZUKI	ZZ	SWS20121-0	3	1.50	0.059	x	2.80	0.110	BF-IB		SR10	CHROME	
						-	-	x	-	-	-	-	-	-	-
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS			
mm	inch					mm	inch		mm	inch							
<b>62.25mm (2.451"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>																	
62.25	2.451	SUZUKI	ZZ	SWS20153-1	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
62.25	2.451	SUZUKI	ZZ	SWS20184-1	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
<b>62.25mm (2.451"): 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>																	
62.25	2.451	DAIHATSU	ZZ	SWD10029-1	3	1.20	0.047	x	2.50	0.098	BF-IB		SR10	CHROME			
						1.50	0.059	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
62.25	2.451	DAIHATSU	ZZ	SWD10032-1 DELETE	3	1.20	0.047	x	2.30	0.091	BF		SR10	CHROME			
						1.50	0.059	x	2.70	0.106	T1-IC		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
<b>62.25mm (2.451"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>																	
62.25	2.451	MITSUBISHI	ZZ	SWM30073-1	2	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.50	0.098	x	3.40	0.134	NIF-S		SR02	CHROME			
<b>62.25mm (2.451"): 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>																	
62.25	2.451	SUZUKI	ZZ	SWS20098-1	4	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME			
62.25	2.451	SUZUKI	ZZ	SWS20138-1	3	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME			
<b>62.25mm (2.451"): 1.50mm (0.059") x NONE x 2.80mm (0.110")</b>																	
62.25	2.451	SUZUKI	ZZ	SWS20121-1	3	1.50	0.059	x	2.80	0.110	BF-IB		SR10	CHROME			
						-		x	-		-		-			-	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME			
<b>62.50mm (2.461"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>																	
62.50	2.461	SUZUKI	ZZ	SWS20153-2	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
62.50	2.461	SUZUKI	ZZ	SWS20184-2	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
<b>62.50mm (2.461"): 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>																	
62.50	2.461	DAIHATSU	ZZ	SWD10029-2	3	1.20	0.047	x	2.50	0.098	BF-IB		SR10	CHROME			
						1.50	0.059	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
62.50	2.461	DAIHATSU	ZZ	SWD10032-2 DELETE	3	1.20	0.047	x	2.30	0.091	BF		SR10	CHROME			
						1.50	0.059	x	2.70	0.106	T1-IC		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
<b>62.50mm (2.461"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>																	
62.50	2.461	MITSUBISHI	ZZ	SWM30073-2	2	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.50	0.098	x	3.40	0.134	NIF-S		SR02	CHROME			

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>62.50mm (2.461"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
62.50	2.461	SUZUKI	ZZ	SWS20098-2	4	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
62.50	2.461	SUZUKI	ZZ	SWS20138-2	3	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
<b>62.50mm (2.461"):</b>														
<b>1.50mm (0.059") x NONE x 2.80mm (0.110")</b>														
62.50	2.461	SUZUKI	ZZ	SWS20121-2	3	1.50	0.059	x	2.80	0.110	BF-IB		SR10	CHROME
						-	-	x	-	-	-	-	-	-
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
<b>62.75mm (2.470"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
62.75	2.470	SUZUKI	ZZ	SWS20153-3	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED
62.75	2.470	SUZUKI	ZZ	SWS20184-3	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED
<b>62.75mm (2.470"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
62.75	2.470	DAIHATSU	ZZ	SWD10029-3	3	1.20	0.047	x	2.50	0.098	BF-IB		SR10	CHROME
						1.50	0.059	x	2.50	0.098	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED
62.75	2.470	DAIHATSU	ZZ	SWD10032-3 DELETE	3	1.20	0.047	x	2.30	0.091	BF		SR10	CHROME
						1.50	0.059	x	2.70	0.106	T1-IC		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED
<b>62.75mm (2.470"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
62.75	2.470	MITSUBISHI	ZZ	SWM30073-3	2	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	3.40	0.134	NIF-S		SR02	CHROME
<b>62.75mm (2.470"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
62.75	2.470	SUZUKI	ZZ	SWS20098-3	4	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
62.75	2.470	SUZUKI	ZZ	SWS20138-3	3	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
<b>62.75mm (2.470"):</b>														
<b>1.50mm (0.059") x NONE x 2.80mm (0.110")</b>														
62.75	2.470	SUZUKI	ZZ	SWS20121-3	3	1.50	0.059	x	2.80	0.110	BF-IB		SR10	CHROME
						-	-	x	-	-	-	-	-	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
<b>63.00mm (2.480"):</b>														
<b>1.00mm (0.039") x 1.00mm (0.039") x 1.50mm (0.059")</b>														
63.00	2.480	DAIHATSU	ZZ	SWD10052-0	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME
						1.00	0.039	x	2.10	0.083	TUC		CR10	FERROX
						1.50	0.059	x	2.20	0.087	NIF-H		SR02	CHROME
<b>63.00mm (2.480"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
63.00	2.480	DAIHATSU	ZZ	SWD10049-0	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.30	0.091	TUC		CR10	FERROX
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS			
mm	inch					mm	inch		mm	inch							
<b>63.00mm (2.480"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")																	
63.00	2.480	SUZUKI	ZZ	SWS20153-4	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
63.00	2.480	SUZUKI	ZZ	SWS20184-4	3	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED			
<b>63.00mm (2.480"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")																	
63.00	2.480	DAIHATSU	ZZ	SWD10029-4	3	1.20	0.047	x	2.50	0.098	BF-IB		SR10	CHROME			
						1.50	0.059	x	2.50	0.098	T1		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
63.00	2.480	DAIHATSU	ZZ	SWD10032-4 DELETE	3	1.20	0.047	x	2.30	0.091	BF		SR10	CHROME			
						1.50	0.059	x	2.70	0.106	T1-IC		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED			
63.00	2.480	HYUNDAI	ZZ	SWG30020-0 (SWL03054-0)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX			
						2.80	0.110	x	2.75	0.108	NIF-S		SR02	CHROME			
<b>63.00mm (2.480"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")																	
63.00	2.480	MITSUBISHI	ZZ	SWM30073-4	2	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.50	0.098	x	3.40	0.134	NIF-S		SR02	CHROME			
<b>63.00mm (2.480"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")																	
63.00	2.480	SUZUKI	ZZ	SWS20098-4	4	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME			
63.00	2.480	SUZUKI	ZZ	SWS20138-4	3	1.50	0.059	x	2.80	0.110	BF		CR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME			
<b>63.00mm (2.480"):</b> 1.50mm (0.059") x NONE x 2.80mm (0.110")																	
63.00	2.480	SUZUKI	ZZ	SWS20121-4	3	1.50	0.059	x	2.80	0.110	BF-IB		SR10	CHROME			
						-		x	-		-		-			-	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME			
<b>63.25mm (2.490"):</b> 1.00mm (0.039") x 1.00mm (0.039") x 1.50mm (0.059")																	
63.25	2.490	DAIHATSU	ZZ	SWD10052-1	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME			
						1.00	0.039	x	2.10	0.083	TUC		CR10	FERROX			
						1.50	0.059	x	2.20	0.087	NIF-H		SR02	CHROME			
<b>63.25mm (2.490"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")																	
63.25	2.490	DAIHATSU	ZZ	SWD10049-1	1	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME			
						1.20	0.047	x	2.30	0.091	TUC		CR10	FERROX			
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME			
<b>63.25mm (2.490"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")																	
63.25	2.490	HYUNDAI	ZZ	SWG30020-1 (SWL03054-1)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX			
						2.80	0.110	x	2.75	0.108	NIF-S		SR02	CHROME			
<b>63.50mm (2.500"):</b> 1.00mm (0.039") x 1.00mm (0.039") x 1.50mm (0.059")																	
63.50	2.500	DAIHATSU	ZZ	SWD10052-2	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME			
						1.00	0.039	x	2.10	0.083	TUC		CR10	FERROX			
						1.50	0.059	x	2.20	0.087	NIF-H		SR02	CHROME			

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>63.50mm (2.500"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
63.50	2.500	DAIHATSU		SWD10049-2	1	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.30	0.091	TUC		CR10	FERROX	
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME	
<b>63.50mm (2.500"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
63.50	2.500	HYUNDAI	ZZ	SWG30020-2 (SWL03054-2)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX	
						2.80	0.110	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>63.75mm (2.510"):</b>															
<b>1.00mm (0.039") x 1.00mm (0.039") x 1.50mm (0.059")</b>															
63.75	2.510	DAIHATSU		SWD10052-3	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME	
						1.00	0.039	x	2.10	0.083	TUC		CR10	FERROX	
						1.50	0.059	x	2.20	0.087	NIF-H		SR02	CHROME	
<b>63.75mm (2.510"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
63.75	2.510	DAIHATSU		SWD10049-3	1	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.30	0.091	TUC		CR10	FERROX	
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME	
<b>63.75mm (2.510"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
63.75	2.510	HYUNDAI	ZZ	SWG30020-3 (SWL03054-3)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX	
						2.80	0.110	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>64.00mm (2.520")</b>															
<b>1.00mm (0.039") x 1.00mm (0.039") x 1.50mm (0.059")</b>															
64.00	2.520	DAIHATSU		SWD10052-4	3	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME	
						1.00	0.039	x	2.10	0.083	TUC		CR10	FERROX	
						1.50	0.059	x	2.20	0.087	NIF-H		SR02	CHROME	
<b>64.00mm (2.520")</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
64.00	2.520	DAIHATSU		SWD10049-4	1	1.00	0.039	x	2.27	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.30	0.091	TUC		CR10	FERROX	
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME	
<b>64.00mm (2.520")</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
64.00	2.520	HI PERFORM		XC2520	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
64.00	2.520	HI PERFORM		XC2520LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>64.00mm (2.520")</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
64.00	2.520	HYUNDAI	ZZ	SWG30020-4 (SWL03054-4)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX	
						2.80	0.110	x	2.75	0.108	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>65.00mm (2.559"):</b>														
<b>1.00mm (0.039") x 0.80mm (0.031") x 2.00mm (0.079")</b>														
65.00	2.559	MITSUBISHI	ZZ	SWM31158-0	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						0.80	0.031	x	2.45	0.096	T1		CR10	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME
<b>65.00mm (2.559"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
65.00 ADD	2.559	SUZUKI	ZZ	SWS20220-0	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.75	0.108	T1		CR10	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
<b>65.00mm (2.559"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
65.00	2.559	HI PERFORM		21-GNH06500	1	1.00	0.039	x	2.50	0.098	BF		SR34	GAS NITRIDED
						1.20	0.047	x	2.70	0.106	TUH		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED
65.00	2.559	HI PERFORM		XC2559	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
65.00	2.559	HI PERFORM		XC2559LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME
<b>65.00mm (2.559"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
65.00	2.559	SUZUKI	ZZ	SWS20211-0	3	1.20	0.047	x	2.30	0.091	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED
<b>65.00mm (2.559"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
65.00	2.559	MITSUBISHI	ZZ	SWM31144-0	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME
						1.20	0.047	x	2.75	0.108	T1		CR01	FERROX
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME
<b>65.00mm (2.559"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
65.00	2.559	SUZUKI	ZZ	SWS20128-0	3	1.20	0.047	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED
						1.50	0.059	x	2.70	0.106	ES-TUC		CR01	FERROX
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED
<b>65.00mm (2.559"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
65.00	2.559	MITSUBISHI		SWM34434-0 DELETE	2	1.50	0.059	x	2.90	0.114	BF		CR10	CHROME
						1.50	0.059	x	2.75	0.108	T1		CR02	CHROME
						2.50	0.098	x	2.70	0.106	NIF-S		SR02	CHROME
<b>65.00mm (2.559"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
65.00	2.559	MITSUBISHI	ZZ	SWM31067-0	3	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME
65.00	2.559	MITSUBISHI	ZZ	SWM31068-0	4	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME
<b>65.25mm (2.569"):</b>														
<b>1.00mm (0.039") x 0.80mm (0.031") x 2.00mm (0.079")</b>														
65.25	2.569	MITSUBISHI	ZZ	SWM31158-1	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						0.80	0.031	x	2.45	0.096	T1		CR10	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>65.25mm (2.569"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
65.25 ADD	2.569	SUZUKI	ZZ	SWS20220-1	3	1.00	0.039	x	2.25	0.089	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR10	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
<b>65.25mm (2.569"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
65.25	2.569	SUZUKI	ZZ	SWS20211-1	3	1.20	0.047	x	2.30	0.091	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>65.25mm (2.569"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
65.25	2.569	MITSUBISHI	ZZ	SWM31144-1	3	1.20	0.047	x	2.25	0.089	BF	CR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S	SR02	CHROME	
<b>65.25mm (2.569"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
65.25	2.569	SUZUKI	ZZ	SWS20128-1	3	1.20	0.047	x	2.30	0.091	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	ES-TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>65.25mm (2.569"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
65.25	2.569	MITSUBISHI	ZZ	SWM34434-1 DELETE	2	1.50	0.059	x	2.90	0.114	BF	CR10	CHROME	
						1.50	0.059	x	2.75	0.108	T1	CR02	CHROME	
						2.50	0.098	x	2.70	0.106	NIF-S	SR02	CHROME	
<b>65.25mm (2.569"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")														
65.25	2.569	MITSUBISHI	ZZ	SWM31067-1	3	1.50	0.059	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1	CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S	SR02	CHROME	
65.25	2.569	MITSUBISHI	ZZ	SWM31068-1	4	1.50	0.059	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1	CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S	SR02	CHROME	
<b>65.50mm (2.579"):</b> 0.80mm (0.032") x 0.80mm (0.032") x 1.50mm (0.059")														
65.50	2.579	HI PERFORM	ZZ	MAC06550	1	0.80	0.031	x	2.10	0.083	BF-IB	SR35	GAS NITRIDED	
						0.80	0.031	x	2.50	0.098	T1	CR10	FERROX	
						1.50	0.059	x	2.50	0.089	NIF-H	SR02	PVD	
<b>65.50mm (2.579"):</b> 1.00mm (0.039") x 0.80mm (0.031") x 2.00mm (0.079")														
65.50	2.579	MITSUBISHI	ZZ	SWM31158-2	3	1.00	0.039	x	2.25	0.089	BF-IB	SR10	CHROME	
						0.80	0.031	x	2.45	0.096	T1	CR10	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR02	CHROME	
<b>65.50mm (2.579"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
65.50 ADD	2.579	SUZUKI	ZZ	SWS20220-2	3	1.00	0.039	x	2.25	0.089	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR10	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
<b>65.50mm (2.579"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
65.50	2.579	HI PERFORM	ZZ	XC2579	1	1.00	0.039	x	2.60	0.102	BF	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S	SR02	CHROME	
65.50	2.579	HI PERFORM	ZZ	XC2579LG	1	1.00	0.039	x	2.60	0.102	BF	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S	SR02	CHROME	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>65.50mm (2.579"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
65.50	2.579	SUZUKI	ZZ	SWS20211-2	3	1.20	0.047	x	2.30	0.091	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>65.50mm (2.579"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
65.50	2.579	MITSUBISHI	ZZ	SWM31144-2	3	1.20	0.047	x	2.25	0.089	BF	CR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S	SR02	CHROME	
<b>65.50mm (2.579"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
65.50	2.579	SUZUKI	ZZ	SWS20128-2	3	1.20	0.047	x	2.30	0.091	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	ES-TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>65.50mm (2.579"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
65.50	2.579	MITSUBISHI	ZZ	SWM31131-2 DELETE	2	1.50	0.059	x	2.90	0.114	BF	CR10	CHROME	
						1.50	0.059	x	2.75	0.108	T1	CR02	CHROME	
						2.50	0.098	x	2.70	0.106	NIF-S	SR02	CHROME	
<b>65.50mm (2.579"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")														
65.50	2.579	MITSUBISHI	ZZ	SWM31067-2	3	1.50	0.059	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1	CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S	SR02	CHROME	
65.50	2.579	MITSUBISHI	ZZ	SWM31068-2	4	1.50	0.059	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1	CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S	SR02	CHROME	
65.50	2.579	SUZUKI	ZZ	SWS20106-0	4	1.50	0.059	x	2.80	0.110	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	T1	CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S	SR02	CHROME	
<b>65.75mm (2.589"):</b> 1.00mm (0.039") x 0.80mm (0.031") x 2.00mm (0.079")														
65.75	2.589	MITSUBISHI	ZZ	SWM31158-3	3	1.00	0.039	x	2.25	0.089	BF-IB	SR10	CHROME	
						0.80	0.031	x	2.45	0.096	T1	CR10	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR02	CHROME	
<b>65.75mm (2.589"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
65.75 ADD	2.589	SUZUKI	ZZ	SWS20220-3	3	1.00	0.039	x	2.25	0.089	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR10	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
<b>65.75mm (2.589"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
65.75	2.589	SUZUKI	ZZ	SWS20211-3	3	1.20	0.047	x	2.30	0.091	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>65.75mm (2.589"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
65.75	2.589	MITSUBISHI	ZZ	SWM31144-3	3	1.20	0.047	x	2.25	0.089	BF	CR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1	CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S	SR02	CHROME	
<b>65.75mm (2.589"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
65.75	2.589	SUZUKI	ZZ	SWS20128-3	3	1.20	0.047	x	2.30	0.091	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	ES-TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS			
mm	inch					mm	inch		mm	inch							
<b>65.75mm (2.589"):</b>																	
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")</b>																	
65.75	2.589	MITSUBISHI		SWM31131-3 <b>DELETE</b>	2	1.50	0.059	x	2.90	0.114	BF		CR10	CHROME			
						1.50	0.059	x	2.75	0.108	T1		CR02	CHROME			
						2.50	0.098	x	2.70	0.106	NIF-S		SR02	CHROME			
<b>65.75mm (2.589"):</b>																	
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>																	
65.75	2.589	MITSUBISHI	ZZ	SWM31067-3	3	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED			
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME			
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME			
65.75	2.589	MITSUBISHI	ZZ	SWM31068-3	4	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED			
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME			
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME			
65.75	2.589	SUZUKI	ZZ	SWS20106-1	4	1.50	0.059	x	2.80	0.110	BF		SR35	GAS NITRIDED			
						1.50	0.059	x	2.70	0.106	T1		CR01	FERROX			
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME			
<b>66.00mm (2.598"):</b>																	
<b>0.80mm (0.032") x 0.80mm (0.032") x 1.50mm (0.059")</b>																	
66.00	2.598	HI PERFORM		MC06600	1	0.80	0.031	x	2.70	0.104	BF-IB		SR35	GAS NITRIDED			
						-		x	-		-	-	-	-	-	-	
						1.50	0.059	x	2.50	0.089	NIF-H		SR02	PVD			
<b>66.00mm (2.598"):</b>																	
<b>1.00mm (0.039") x 0.80mm (0.031") x 2.00mm (0.079")</b>																	
66.00	2.598	MITSUBISHI	ZZ	SWM31158-4	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME			
						0.80	0.031	x	2.45	0.096	T1		CR10	FERROX			
						2.00	0.079	x	2.50	0.098	NIF-H		SR02	CHROME			
<b>66.00mm (2.598"):</b>																	
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>																	
66.00	2.598	SUZUKI	ZZ	SWS20220-4	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME			
<b>ADD</b>						1.20	0.047	x	2.75	0.108	T1		CR10	FERROX			
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED			
<b>66.00mm (2.598"):</b>																	
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.50mm (0.098")</b>																	
66.00	2.598	MITSUBISHI	ZZ	SWM31136-0	4	1.00	0.039	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX			
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME			
<b>66.00mm (2.598"):</b>																	
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>																	
66.00	2.598	HI PERFORM		XC2598	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME			
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME			
66.00	2.598	HI PERFORM		XC2598LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME			
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX			
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME			
<b>66.00mm (2.598"):</b>																	
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>																	
66.00	2.598	HYUNDAI	ZZ	SWG30018-0 (SWL03050-0)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME			
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX			
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME			
66.00	2.598	SUZUKI	ZZ	SWS20211-4	3	1.20	0.047	x	2.30	0.091	BF-IB		SR34	GAS NITRIDED			
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX			
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED			

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>66.00mm (2.598"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
66.00	2.598	HONDA	ZZ	SWH30495-0	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.85	0.112	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	
66.00	2.598	MITSUBISHI	ZZ	SWM31144-4	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.75	0.108	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>66.00mm (2.598"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
66.00	2.598	SUZUKI	ZZ	SWS20128-4	3	1.20	0.047	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	ES-TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
<b>66.00mm (2.598"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")															
66.00	2.598	MITSUBISHI	ZZ	SWM31131-4 DELETE	2	1.50	0.059	x	2.90	0.114	BF		CR10	CHROME	
						1.50	0.059	x	2.75	0.108	T1		CR02	CHROME	
						2.50	0.098	x	2.70	0.106	NIF-S		SR02	CHROME	
<b>66.00mm (2.598"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
66.00	2.598	MITSUBISHI	ZZ	SWM31067-4	3	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME	
66.00	2.598	MITSUBISHI	ZZ	SWM31068-4	4	1.50	0.059	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.70	0.106	NIF-S		SR02	CHROME	
66.00	2.598	NISSAN	ZZ	SWN30100-0 DELETE	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
66.00	2.598	SUZUKI	ZZ	SWS20106-2	4	1.50	0.059	x	2.80	0.110	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>66.20mm (2.606"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
66.20	2.606	NISSAN	ZZ	SWN30104-0 DELETE	1	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	WARNING!!! : NO OVERSIZE
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>66.25mm (2.608"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.50mm (0.098")															
66.25	2.608	MITSUBISHI	ZZ	SWM31136-1	4	1.00	0.039	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>66.25mm (2.608"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
66.25	2.608	HYUNDAI	ZZ	SWG30018-1 (SWL03050-1)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>66.25mm (2.608"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
66.25	2.608	HONDA	ZZ	SWH30495-1	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.85	0.112	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>66.25mm (2.608"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
66.25	2.608	NISSAN		SWN30100-1 <b>DELETE</b>	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
66.25	2.608	SUZUKI	ZZ	SWS20106-3	4	1.50	0.059	x	2.80	0.110	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>66.50mm (2.618"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.50mm (0.098")															
66.50	2.618	MITSUBISHI	ZZ	SWM31136-2	4	1.00	0.039	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>66.50mm (2.618"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
66.50	2.618	HI PERFORM		XC2618	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
66.50	2.618	HI PERFORM		XC2618LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>66.50mm (2.618"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
66.50	2.618	HYUNDAI	ZZ	SWG30018-2 (SWL03050-2)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>66.50mm (2.618"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
66.50	2.618	HONDA	ZZ	SWH30495-2	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.85	0.112	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>66.50mm (2.618"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
66.50	2.618	NISSAN		SWN30100-2 <b>DELETE</b>	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
66.50	2.618	SUZUKI	ZZ	SWS20106-4	4	1.50	0.059	x	2.80	0.110	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.70	0.106	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR02	CHROME	
<b>66.60mm (2.622"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
66.60	2.622	DAIHATSU	ZZ	SWD10051-0	3	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>66.60mm (2.622"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")															
66.60	2.622	DAIHATSU	ZZ	SWD10045-0	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>66.75mm (2.628"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.50mm (0.098")															
66.75	2.628	MITSUBISHI	ZZ	SWM31136-3	4	1.00	0.039	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>66.75mm (2.628"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
66.75	2.628	HYUNDAI	ZZ	SWG30018-3 (SWL03050-3)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>66.75mm (2.628"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
66.75	2.628	HONDA	ZZ	SWH30495-3	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.85	0.112	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>66.75mm (2.628"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
66.75	2.628	NISSAN	ZZ	SWN30100-3 <b>DELETE</b>	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>66.85mm (2.632"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
66.85	2.632	DAIHATSU	ZZ	SWD10051-1	3	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>66.85mm (2.632"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")															
66.85	2.632	DAIHATSU	ZZ	SWD10045-1	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>67.00mm (2.638"):</b> 0.80mm (0.032") x 0.80mm (0.032") x 1.50mm (0.059")															
67.00	2.638	HI PERFORM	ZZ	MAC06700	1	0.80	0.031	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						0.80	0.031	x	2.65	0.104	T1		CR10	FERROX	
						1.50	0.059	x	2.50	0.089	NIF-H		SR02	PVD	
<b>67.00mm (2.638"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.50mm (0.098")															
67.00	2.638	MITSUBISHI	ZZ	SWM31136-4	4	1.00	0.039	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
<b>67.00mm (2.638"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
67.00	2.638	HI PERFORM	ZZ	XC2638	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
67.00	2.638	HI PERFORM	ZZ	XC2638LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>67.00mm (2.638"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
67.00	2.638	HYUNDAI	ZZ	SWG30038-0	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
67.00	2.638	HYUNDAI	ZZ	SWG30051-0	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>67.00mm (2.638"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
67.00	2.638	HYUNDAI	ZZ	SWG30018-4 (SWL03050-4)	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.90	0.114	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
67.00	2.638	HYUNDAI	ZZ	SWG30031-0	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>67.00mm (2.638"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
67.00	2.638	HONDA	ZZ	SWH30495-4	3	1.20	0.047	x	2.25	0.089	BF		CR10	CHROME	
						1.20	0.047	x	2.85	0.112	T1		CR01	FERROX	
						2.80	0.110	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>67.00mm (2.638"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
67.00	2.638	NISSAN	ZZ	SWN30100-4 <b>DELETE</b>	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	2.90	0.114	T1		CR02	CHROME	
						2.80	0.110	x	2.80	0.110	NIF-S		SR34	SOFT NITRIDED	
<b>67.10mm (2.642"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
67.10	2.642	DAIHATSU	ZZ	SWD10051-2	3	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>67.10mm (2.642"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
67.10	2.642	DAIHATSU	ZZ	SWD10045-2	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>67.25mm (2.648"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
67.25	2.648	HYUNDAI	ZZ	SWG30038-1	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
67.25	2.648	HYUNDAI	ZZ	SWG30051-1	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>67.25mm (2.648"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
67.25	2.648	HYUNDAI	ZZ	SWG30031-1	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>67.35mm (2.652"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
67.35	2.652	DAIHATSU	ZZ	SWD10051-3	3	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>67.35mm (2.652"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
67.35	2.652	DAIHATSU	ZZ	SWD10045-3	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>67.50mm (2.657"):</b>															
<b>0.80mm (0.032") x 0.80mm (0.032") x 1.50mm (0.059")</b>															
67.50	2.657	HI PERFORM	ZZ	MAC06750	1	0.80	0.031	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						0.80	0.031	x	2.65	0.104	T1		CR10	FERROX	
						1.50	0.059	x	2.50	0.089	NIF-H		SR02	PVD	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>67.50mm (2.657"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
67.50	2.657	HI PERFORM		21-GNH06750	1	1.00	0.039	x	2.50	0.098	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUH		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
67.50	2.657	HI PERFORM		XC2658	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
67.50	2.657	HI PERFORM		XC2658LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>67.50mm (2.657"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
67.50	2.657	HYUNDAI	ZZ	SWG30038-2	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
67.50	2.657	HYUNDAI	ZZ	SWG30051-2	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>67.50mm (2.657"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
67.50	2.657	HYUNDAI	ZZ	SWG30031-2	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR02	CHROME	
<b>67.60mm (2.677"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
67.60	2.661	DAIHATSU	ZZ	SWD10051-4	3	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.60	0.102	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
<b>67.60mm (2.677"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
67.60	2.661	DAIHATSU	ZZ	SWD10045-4	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
<b>67.75mm (2.667"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
67.75	2.667	HYUNDAI	ZZ	SWG30038-3	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED	
67.75	2.667	HYUNDAI	ZZ	SWG30051-3	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.45	0.096	NIF-H		SR34	SOFT NITRIDED	
<b>67.75mm (2.667"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
67.75	2.667	HYUNDAI	ZZ	SWG30031-3	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>68.00mm (2.677"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
68.00	2.677	DAIHATSU	ZZ	SWD10046-0	3	1.00	0.039	x	2.10	0.083	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	2.20	0.087	TUC		CR02	CHROME
						2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED
68.00	2.677	SUZUKI	ZZ	SWS20200-0	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
68.00	2.677	SUZUKI	ZZ	SWS20206-0	4	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
<b>68.00mm (2.677"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
68.00	2.677	HI PERFORM	ZZ	21-GNH06800	1	1.00	0.039	x	2.50	0.098	BF		SR34	GAS NITRIDED
						1.20	0.047	x	2.80	0.110	TUH		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED
68.00	2.677	HI PERFORM	ZZ	XC2677	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
68.00	2.677	HI PERFORM	ZZ	XC2677LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
<b>68.00mm (2.677"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
68.00	2.677	HYUNDAI	ZZ	SWG30038-4	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED
68.00	2.677	HYUNDAI	ZZ	SWG30051-4	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.00	0.079	x	2.65	0.104	NIF-H		SR34	SOFT NITRIDED
<b>68.00mm (2.677"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
68.00	2.677	DAIHATSU	ZZ	SWD10044-0	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.50	0.098	x	2.55	0.100	NIF-S		SR02	CHROME
68.00	2.677	HYUNDAI	ZZ	SWG30031-4	4	1.20	0.047	x	2.30	0.091	BF		SR35	GAS NITRIDED
						1.20	0.047	x	2.70	0.106	T1		CR01	FERROX
						2.50	0.098	x	2.50	0.098	NIF-S		SR02	CHROME
<b>68.00mm (2.677"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
68.00	2.677	DAIHATSU	ZZ	SWD10033-0	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME
<b>68.00mm (2.677"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
68.00	2.677	KIA	ZZ	SWK30024-0 DELETE	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.80	0.110	TUC		CR02	CHROME
						3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME
68.00	2.677	KIA	ZZ	SWK30018-0 (SWL03088-0)	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME
68.00	2.677	MAZDA	ZZ	SWT20051-0	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>68.00mm (2.677"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
68.00	2.677	DAIHATSU		SWD10040-0 <b>DELETE</b>	3	1.50	0.059	x	2.80	0.110	BF		CR02	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
68.00	2.677	NISSAN	ZZ	SWN30051-0	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>68.00mm (2.677"):</b>															
<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
68.00	2.677	DAIHATSU	ZZ	SWD10020-0	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
68.00	2.677	MAZDA	ZZ	SWT20006-0	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	TUC		CR01	FERROX	
						4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
<b>68.20mm (2.685"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
68.20	2.685	NISSAN	ZZ	SWN30076-0	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>68.20mm (2.685"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>															
68.20	2.685	MITSUBISHI	ZZ	SWM31061-0	4	1.50	0.059	x	2.70	0.106	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
<b>68.25mm (2.687"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
68.25	2.687	DAIHATSU	ZZ	SWD10046-1	3	1.00	0.039	x	2.10	0.083	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	2.20	0.087	TUC		CR02	CHROME	
						2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	
68.25	2.687	SUZUKI	ZZ	SWS20200-1	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX	
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
68.25	2.687	SUZUKI	ZZ	SWS20206-1	4	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX	
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
<b>68.25mm (2.687"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
68.25	2.687	DAIHATSU	ZZ	SWD10044-1	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.50	0.098	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>68.25mm (2.687"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
68.25	2.687	DAIHATSU	ZZ	SWD10033-1	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>68.25mm (2.687"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>															
68.25	2.687	KIA		SWK30024-1 <b>DELETE</b>	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR02	CHROME	
						3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
68.25	2.687	KIA	ZZ	SWK30018-1 (SWL03088-1)	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
68.25	2.687	MAZDA	ZZ	SWT20051-1	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
<b>68.25mm (2.687"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
68.25	2.687	DAIHATSU		SWD10040-1 <b>DELETE</b>	3	1.50	0.059	x	2.80	0.110	BF		CR02	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
68.25	2.687	NISSAN	ZZ	SWN30051-1	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
<b>68.25mm (2.687"):</b>															
<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>															
68.25	2.687	DAIHATSU	ZZ	SWD10020-1	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
68.25	2.687	MAZDA	ZZ	SWT20006-1	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	TUC		CR01	FERROX	
						4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
<b>68.45mm (2.695"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>															
68.45	2.695	MITSUBISHI	ZZ	SWM31061-1	4	1.50	0.059	x	2.70	0.106	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
<b>68.50mm (2.697"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
68.50	2.697	DAIHATSU	ZZ	SWD10046-2	3	1.00	0.039	x	2.10	0.083	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	2.20	0.087	TUC		CR02	CHROME	
						2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED	
68.50	2.697	SUZUKI	ZZ	SWS20200-2	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX	
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
68.50	2.697	SUZUKI	ZZ	SWS20206-2	4	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX	
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME	
68.50	2.697	SUZUKI	ZZ	SWS20225-0	4	1.00	0.039	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
<b>68.50mm (2.697"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
68.50	2.697	GMC	ZZ	SWG10045-0	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>68.50mm (2.697"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
68.50	2.697	DAEWOO	ZZ	SWD20005-0 (SWL03148-0)	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	
68.50	2.697	DAEWOO	ZZ	SWD20011-0	3	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	
68.50	2.697	DAIHATSU	ZZ	SWD10044-2	3	1.20	0.047	x	2.67	0.105	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	TUC	CR01	FERROX	
						2.50	0.098	x	2.55	0.100	NIF-S	SR02	CHROME	
<b>68.50mm (2.697"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
68.50	2.697	SUZUKI	ZZ	SWS20221-0	3	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.25	0.089	NIF-H	SR02	CHROME	
<b>68.50mm (2.697"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
68.50	2.697	DAEWOO	ZZ	SWD20002-0 (SWL02395-0)	3	1.20	0.047	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
68.50	2.697	DAIHATSU	ZZ	SWD10033-2	3	1.20	0.047	x	2.67	0.105	BF-IB	SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB	CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S	SR02	CHROME	
<b>68.50mm (2.697"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
68.50	2.697	KIA	ZZ	SWK30024-2 <b>DELETE</b>	4	1.20	0.047	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC	CR02	CHROME	
						3.00	0.118	x	2.85	0.112	NIF-S	SR02	CHROME	
68.50	2.697	KIA	ZZ	SWK30018-2 (SWL03088-2)	4	1.20	0.047	x	2.50	0.098	BF	SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC	CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S	SR02	CHROME	
68.50	2.697	MAZDA	ZZ	SWT20051-2	4	1.20	0.047	x	2.50	0.098	BF	SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC	CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S	SR02	CHROME	
<b>68.50mm (2.697"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
68.50	2.697	DAIHATSU	ZZ	SWD10040-2 <b>DELETE</b>	3	1.50	0.059	x	2.80	0.110	BF	CR02	CHROME	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S	SR02	CHROME	
68.50	2.697	NISSAN	ZZ	SWN30051-2	4	1.50	0.059	x	2.50	0.098	BF	SR10	CHROME	
						1.50	0.059	x	3.10	0.122	T1	CR01	FERROX	
						2.80	0.110	x	3.00	0.118	NIF-S	SR02	CHROME	
68.50	2.697	SUZUKI	ZZ	SWS20120-0	3	1.50	0.059	x	2.80	0.110	BF	SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S	SR02	CHROME	
<b>68.50mm (2.697"):</b>														
<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
68.50	2.697	DAIHATSU	ZZ	SWD10020-2	4	2.00	0.079	x	3.00	0.118	T1	CR02	CHROME	
						2.00	0.079	x	3.00	0.118	T1	CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>68.50mm (2.697"):</b> 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
68.50	2.697	MAZDA	ZZ	SWT20006-2	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME
						2.00	0.079	x	3.00	0.118	TUC		CR01	FERROX
						4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME
<b>68.68mm (2.704"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")														
68.68 ADD	2.704	FORD	ZZ	SWF30033-0	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.85	0.112	TUC		CR01	FERROX
						2.00	0.079	x	3.10	0.122	NIF-H		SR02	CHROME
<b>68.70mm (2.705"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
68.70	2.705	MITSUBISHI	ZZ	SWM31061-2	4	1.50	0.059	x	2.70	0.106	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX
						4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED
<b>68.75mm (2.707"):</b> 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
68.75	2.707	DAIHATSU	ZZ	SWD10046-3	3	1.00	0.039	x	2.10	0.083	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	2.20	0.087	TUC		CR02	CHROME
						2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED
68.75	2.707	SUZUKI	ZZ	SWS20200-3	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
68.75	2.707	SUZUKI	ZZ	SWS20206-3	4	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
68.75	2.707	SUZUKI	ZZ	SWS20225-1	4	1.00	0.039	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
<b>68.75mm (2.707"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
68.75	2.707	GMC	ZZ	SWG10045-1	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR02	CHROME
<b>68.75mm (2.707"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
68.75	2.707	DAEWOO	ZZ	SWD20005-1 (SWL03148-1)	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME
68.75	2.707	DAEWOO	ZZ	SWD20011-1	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME
68.75	2.707	DAIHATSU	ZZ	SWD10044-3	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.50	0.098	x	2.55	0.100	NIF-S		SR02	CHROME
<b>68.75mm (2.707"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
68.75	2.707	SUZUKI	ZZ	SWS20221-1	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.25	0.089	NIF-H		SR02	CHROME

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>68.75mm (2.707"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")															
68.75	2.707	DAEWOO	ZZ	SWD20002-1 (SWL02395-1)	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
68.75	2.707	DAIHATSU	ZZ	SWD10033-3	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
<b>68.75mm (2.707"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
68.75	2.707	KIA		SWK30024-3 <b>DELETE</b>	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	TUC		CR02	CHROME	
						3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME	
68.75	2.707	KIA	ZZ	SWK30018-3 (SWL03088-3)	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
68.75	2.707	MAZDA	ZZ	SWT20051-3	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
<b>68.75mm (2.707"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")															
68.75	2.707	DAIHATSU		SWD10040-3 <b>DELETE</b>	3	1.50	0.059	x	2.80	0.110	BF		CR02	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME	
68.75	2.707	NISSAN	ZZ	SWN30051-3	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME	
68.75	2.707	SUZUKI	ZZ	SWS20120-1	3	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>68.75mm (2.707"):</b> 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
68.75	2.707	DAIHATSU	ZZ	SWD10020-3	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME	
68.75	2.707	MAZDA	ZZ	SWT20006-3	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME	
						2.00	0.079	x	3.00	0.118	TUC		CR01	FERROX	
						4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME	
<b>68.93mm (2.714"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
68.93 <b>ADD</b>	2.714	FORD	ZZ	SWF30033-1	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.85	0.112	TUC		CR01	FERROX	
						2.00	0.079	x	3.10	0.122	NIF-H		SR02	CHROME	
<b>68.95mm (2.715"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
68.95	2.715	MITSUBISHI	ZZ	SWM31061-3	4	1.50	0.059	x	2.70	0.106	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX	
						4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED	
<b>69.00mm (2.717"):</b> 0.80mm (0.032") x 0.80mm (0.032") x 1.50mm (0.059")															
69.00	2.717	HI PERFORM		MAC06900	1	0.80	0.031	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						0.80	0.031	x	2.65	0.104	T1		CR10	FERROX	
						1.50	0.059	x	2.50	0.089	NIF-H		SR02	PVD	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>69.00mm (2.717"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
69.00	2.717	DAIHATSU	ZZ	SWD10046-4	3	1.00	0.039	x	2.10	0.083	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	2.20	0.087	TUC		CR02	CHROME
						2.00	0.079	x	2.25	0.089	NIF-H		SR34	SOFT NITRIDED
69.00	2.717	SUZUKI	ZZ	SWS20200-4	3	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
69.00	2.717	SUZUKI	ZZ	SWS20206-4	4	1.00	0.039	x	2.25	0.089	BF-IB		SR10	CHROME
						1.20	0.047	x	2.50	0.098	TUC		CR01	FERROX
						2.00	0.079	x	2.30	0.091	NIF-H		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>														
69.00	2.717	HI PERFORM		21-GNH06900	1	1.00	0.039	x	2.50	0.098	BF		SR34	GAS NITRIDED
						1.20	0.047	x	2.80	0.110	TUH		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED
69.00	2.717	HI PERFORM		XC2717	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
69.00	2.717	HI PERFORM		XC2717LG	1	1.00	0.039	x	2.60	0.102	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
69.00	2.717	TOYOTA	ZZ	SWT10201-0	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED
69.00	2.717	SUZUKI	ZZ	SWS20225-2	4	1.00	0.039	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>														
69.00	2.717	GMC	ZZ	SWG10045-2	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>														
69.00	2.717	DAEWOO	ZZ	SWD20005-2 (SWL03148-2)	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME
69.00	2.717	DAEWOO	ZZ	SWD20011-2	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME
69.00	2.717	DAIHATSU	ZZ	SWD10044-4	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX
						2.50	0.098	x	2.55	0.100	NIF-S		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>														
69.00	2.717	SUZUKI	ZZ	SWS20221-2	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.50	0.098	x	2.25	0.089	NIF-H		SR02	CHROME

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
69.00	2.717	DAEWOO	ZZ	SWD20002-2 (SWL02395-2)	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED
69.00	2.717	DAIHATSU	ZZ	SWD10033-4	3	1.20	0.047	x	2.67	0.105	BF-IB		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1-IB		CR01	FERROX
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")</b>														
69.00	2.717	KIA	ZZ	SWK30024-4 <b>DELETE</b>	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.80	0.110	TUC		CR02	CHROME
						3.00	0.118	x	2.85	0.112	NIF-S		SR02	CHROME
69.00	2.717	KIA	ZZ	SWK30018-4 (SWL03088-4)	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME
69.00	2.717	MAZDA	ZZ	SWT20051-4	4	1.20	0.047	x	2.50	0.098	BF		SR10	CHROME
						1.50	0.059	x	3.10	0.122	TUC		CR01	FERROX
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>														
69.00	2.717	DAIHATSU	ZZ	SWD10040-4 <b>DELETE</b>	3	1.50	0.059	x	2.80	0.110	BF		CR02	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.55	0.100	NIF-S		SR02	CHROME
69.00	2.717	NISSAN	ZZ	SWN30051-4	4	1.50	0.059	x	2.50	0.098	BF		SR10	CHROME
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX
						2.80	0.110	x	3.00	0.118	NIF-S		SR02	CHROME
69.00	2.717	SUZUKI	ZZ	SWS20120-2	3	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME
<b>69.00mm (2.717"):</b>														
<b>2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")</b>														
69.00	2.717	DAIHATSU	ZZ	SWD10020-4	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME
						2.00	0.079	x	3.00	0.118	T1		CR01	FERROX
						4.00	0.157	x	3.10	0.122	NIF-S		SR02	CHROME
69.00	2.717	MAZDA	ZZ	SWT20006-4	4	2.00	0.079	x	3.00	0.118	T1		CR02	CHROME
						2.00	0.079	x	3.00	0.118	TUC		CR01	FERROX
						4.00	0.157	x	3.05	0.120	NIF-S		SR02	CHROME
<b>69.18mm (2.724"):</b>														
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>														
69.18 <b>ADD</b>	2.724	FORD	ZZ	SWF30033-2	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED
						1.50	0.059	x	2.85	0.112	TUC		CR01	FERROX
						2.00	0.079	x	3.10	0.122	NIF-H		SR02	CHROME
<b>69.20mm (2.724"):</b>														
<b>1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")</b>														
69.20	2.724	MITSUBISHI	ZZ	SWM31061-4	4	1.50	0.059	x	2.70	0.106	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.10	0.122	T1		CR01	FERROX
						4.00	0.157	x	3.15	0.124	NIF-S		SR34	SOFT NITRIDED



# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>69.25mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
69.25	2.726	TOYOTA	ZZ	SWT10201-1	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
69.25	2.726	SUZUKI	ZZ	SWS20225-3	4	1.00	0.039	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
<b>69.25mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
69.25	2.726	GMC	ZZ	SWG10045-3	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR02	CHROME	
<b>69.25mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")</b>															
69.25	2.726	DAEWOO	ZZ	SWD20005-3 (SWL03148-3)	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
69.25	2.726	DAEWOO	ZZ	SWD20011-3	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>69.25mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")</b>															
69.25	2.726	SUZUKI	ZZ	SWS20221-3	3	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.50	0.098	x	2.25	0.089	NIF-H		SR02	CHROME	
<b>69.25mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
69.25	2.726	DAEWOO	ZZ	SWD20002-3 (SWL02395-3)	3	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
<b>69.25mm (2.726"):</b>															
<b>1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")</b>															
69.25	2.726	SUZUKI	ZZ	SWS20120-3	3	1.50	0.059	x	2.80	0.110	BF		SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>69.43mm (2.733"):</b>															
<b>1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")</b>															
69.43 ADD	2.733	FORD	ZZ	SWF30033-3	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	2.85	0.112	TUC		CR01	FERROX	
						2.00	0.079	x	3.10	0.122	NIF-H		SR02	CHROME	
<b>69.50mm (2.726"):</b>															
<b>1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")</b>															
69.50	2.736	HI PERFORM		21-GNH06950	1	1.00	0.039	x	2.50	0.098	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	TUH		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED	
69.50	2.736	HI PERFORM		XC2736	1	1.00	0.039	x	2.65	0.104	BF		SR10	CHROME	
						1.20	0.047	x	3.00	0.118	T1		CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S		SR02	CHROME	
<b>69.50mm (2.726"):</b>															
<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>															
69.50	2.736	TOYOTA	ZZ	SWT10201-2	4	1.20	0.047	x	2.25	0.089	BF		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	TUC		CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H		SR34	SOFT NITRIDED	
69.50	2.736	SUZUKI	ZZ	SWS20225-4	4	1.00	0.039	x	2.30	0.091	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	2.70	0.106	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS







DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
<b>69.50mm (2.726"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
69.50	2.736	GMC	ZZ	SWG10045-4	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR02	CHROME	
<b>69.50mm (2.726"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
69.50	2.736	DAEWOO	ZZ	SWD20005-4 (SWL03148-4)	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	
69.50	2.736	DAEWOO	ZZ	SWD20011-4	3	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S	SR02	CHROME	
<b>69.50mm (2.736"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
69.50	2.736	SUZUKI	ZZ	SWS20221-4	3	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.50	0.098	x	2.25	0.089	NIF-H	SR02	CHROME	
<b>69.50mm (2.736"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")														
69.50	2.736	DAEWOO	ZZ	SWD20002-4 (SWL02395-4)	3	1.20	0.047	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.85	0.112	NIF-S	SR34	SOFT NITRIDED	
<b>69.50mm (2.736"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 2.80mm (0.110")														
69.50	2.736	SUZUKI	ZZ	SWS20120-4	3	1.50	0.059	x	2.80	0.110	BF	SR10	CHROME	
						1.50	0.059	x	2.80	0.110	T1	CR01	FERROX	
						2.80	0.110	x	2.80	0.110	NIF-S	SR02	CHROME	
<b>69.50mm (2.736"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
69.50	2.736	MITSUBISHI	ZZ	SWM31026-0	4	1.50	0.059	x	3.10	0.122	BF	CR02	CHROME	
						1.50	0.059	x	3.10	0.122	T1	CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	
<b>69.68mm (2.743"):</b> 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")														
69.68 ADD	2.743	FORD	ZZ	SWF30033-4	4	1.20	0.047	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	2.85	0.112	TUC	CR01	FERROX	
						2.00	0.079	x	3.10	0.122	NIF-H	SR02	CHROME	
<b>69.70mm (2.744"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
69.70	2.744	GMC	ZZ	SWG10033-0	4	1.20	0.047	x	2.65	0.104	BF-IB	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1	CR01	FERROX	
						2.00	0.079	x	2.40	0.094	NIF-H	SR02	CHROME	
69.70	2.744	GMC	ZZ	SWG10047-0	4	1.20	0.047	x	2.50	0.098	BF	SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	T1	CR10	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
<b>69.75mm (2.746"):</b> 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
69.75	2.746	TOYOTA	ZZ	SWT10201-3	4	1.20	0.047	x	2.25	0.089	BF	SR10	CHROME	
						1.20	0.047	x	2.80	0.110	TUC	CR01	FERROX	
						2.00	0.079	x	2.20	0.087	NIF-H	SR34	SOFT NITRIDED	
<b>69.75mm (2.746"):</b> 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
69.75	2.746	MITSUBISHI	ZZ	SWM31026-1	4	1.50	0.059	x	3.10	0.122	BF	CR02	CHROME	
						1.50	0.059	x	3.10	0.122	T1	CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	

# NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
<b>69.95mm (2.754"):</b>		<b>1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")</b>													
69.95	2.754	GMC	ZZ	SWG10033-1	4	1.20	0.047	x	2.65	0.104	BF-IB		SR10	CHROME	
						1.20	0.047	x	2.80	0.110	T1		CR01	FERROX	
						2.00	0.079	x	2.40	0.094	NIF-H		SR02	CHROME	
69.95	2.754	GMC	ZZ	SWG10047-1	4	1.20	0.047	x	2.50	0.098	BF		SR35	GAS NITRIDED	
						1.20	0.047	x	2.80	0.110	T1		CR10	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	